

Some Of The Best Woodwork Is Wearing Our Products, ... For A Very Good Reason! Shouldn't Yours Stand Out Too!



Performance Minded
Value Conscious™

2010
Products Catalog



800-229-0934

New Brunswick, NJ
www.hoodfinishing.com

Dear Customer,

We have reached another milestone in our existence - celebrating 30 years of excellence. Our success and growth, over the past thirty years, is directly attributed to your patronage, our advanced product line, innovative technology and unique customer service, second to none. 99% of orders are shipped the same day; we also stock every product offered in this catalog. With us you get Quality, Price, and Reliability.

Though our product line has expanded significantly in our thirty year history, we're still 100% dedicated to values and principles that got us off to such a great start, like creating and offering green technology products, way before the "green" concept became popular, many which appeared in our catalog starting in 1985, such as HYDROCOTE® RESISTHANE™, a totally "green" product, and second to none.

This catalog also introduces you to our new and totally revolutionary "green technology" wood stain, suitable for use under any finish, and the new GYMCOAT™ floor finish, also a totally green product. We have also expanded our line into floor finishes, a technology we have had for over twenty years.

If you have any questions or comments, kindly contact me directly at 1-800-229-0934, extension 101, or our customer service department.



Erick Kasner, PhD
President & General Manager

PRODUCT WARRANTY

If you are not happy with a product, you can return the unused portion for a full product refund, minus shipping costs within 30 days of purchase. No returns are accepted however, after 30 days, regardless of reason. Accordingly, please check out or inspect the product(s) upon receipt for defect and/or suitability.

For all equipment, there is a 25% handling and restocking charge, unless received defective, of course.

SAME DAY SHIPPING

We ship all stock and standard products the same day we receive the order, if received by noon EST.

EASY WAYS TO ORDER

Phone: 1-800-229-0934
8:00 AM - 4:30 pm EST, Monday - Friday

Fax: 1-732-828-7325
24 hours a day

Mail: PO Box 97
Somerset, NJ 08875-0097

Website: www.hoodfinishing.com
Most products are now available on our website

Our minimum order is \$25.00

PAYMENT OPTIONS

We accept the following credit cards:



Wood Finishes	2-7
Green Technology Finishes..	3, 7, 22
Finish Removers.....	11-13
Floor Finishes	22-23
Stains & Colorants	7-10
Wood Toners & Bleaches	15
Surface Prep	14
Wood Repair & Grain Fillers...	16-17
Abrasives	18
Sanding Equipment.....	19
High Gloss Surface Polishing	20
Surface Rub-Out.....	21
Accessories & Sundries	21-24
Spray Equipment.....	25-28
Stripping Equipment	29
Drum/Pail Handling Equipment...	30
Protective Equipment.....	31
Aerosols & Touch-Up	32-33
Stripping & Finishing Brushes....	34
Ordering Information.....	35
Index	36

Green Technology

The term "green" product is used loosely these days and can be confusing. For a better understanding of the meaning "green" product or technology, please visit our website at www.hoodfinishing.com

Some Of The Best Woodwork Is Wearing This Finish! For A Very Good Reason. Yours Deserves Equal Distinction!

Magna-Shield® means no second-guessing, no crossed fingers, and no concessions to performance, quality, durability or value. It's like no other wood lacquer on the market.

Magna-Shield® is your best choice in a wood lacquer. A decision *you* and *your* customers focus on day after day, week after week. That's why it is so important to insist upon the one brand of pre-catalyzed lacquer that delivers everything on your requirement check list — from excellent durability and superb warmth and clarity to user friendly features.

Magna-Shield®s enhanced properties **bridges the gap between conventional lacquer and conversion varnish** in terms of hardness and durability, but, without chipping, cracking or recoatability issues encountered with conversion vanishes or, lack of durability and resistance of a typical lacquer. Furthermore, under most application conditions, **Magna-Shield®** requires no thinning or addition of a retarder to enhance its performance properties.

Magna-Shield's® Unique and Optimized Features

- ✓ Self-Sealing* and Quick Drying
- ✓ Tough and Durable with Excellent Chemical Resistance
- ✓ High Build and Non-Yellowing
- ✓ Recoat Anytime, and No Limit On Number Of Coats*
- ✓ VOC Compliant
- ✓ Superb Depth and Clarity
- ✓ Non-Blushing (up to 96% Relative Humidity)
- ✓ Ready To Spray with Excellent Flow and Leveling
- ✓ No Catalyst/Pot Life Problem or Restrictions
- ✓ No Thinner nor Retarder Needed in Most Applications
- ✓ Sanding Between Coats Not A Must
- ✓ Perfect Finish Straight From The Spray Gun
- ✓ Meets KCMA Standards For Use On Kitchen Cabinets
- ✓ Can now be post catalyzed with Magna--Shield Catalyst on the last coat for faster cure and print resistance.

*For high build application, apply a maximum of three (3) coats per day and waiting at least two (2) hours between coats to release tail solvents and to make certain efficient crosslinking occurs.



**Transforms Your
Wood Finishing Into
Beyond Compare**

Solids, by wt.:	40%
Solids by vol.:	35%
Viscosity:	20-25 sec. #4 Ford Cup
Coverage:	600 sq. ft. per gallon
Recoat time @ 75°F, 45% RH:	60 minutes
Drying time @ 75°F, 45% RH:	Dust free, 5-10 min.
VOC:	4.5 lbs/gal (540 g/L)

*Magna-Shield® can be applied over a sanding sealer or a vinyl sealer, if so desired. However, sanding sealer coats should be up to two (2) only then sanded down and up to two (2) coats for vinyl sealer which do not have to be sanded off, only sanded.

Magna-Shield® Clears**

Size	High Gloss 90% Sheen	Gloss 75% Sheen	Satin 45% Sheen	"Dull" Satin 25% Sheen	Matte 15% Sheen	Price
1 Gal	MS9001	MS9101	MS9201	MS9301	MS9401	\$28.95
5 Gal	MS9005	MS9105	MS9205	MS9305	MS9405	\$121.95

** Water-clear and non-yellowing. Use over any stain or type of wood, will not discolor

Magna-Shield® Catalyst

MS-CAT-004	4 oz	\$3.95
MS-CAT-008	8 oz	\$7.95
MS-CAT-032	Quart	\$19.95

Recommended amount 2 oz per gallon

Magna-Shield® Pigmented

Size	White Gloss	White Satin	White Primer	Black Gloss	Black Satin	Black Primer	Price
1 Gal	MS6101	MS6201	MS6301	MS6601	MS6701	MS6801	\$ 29.95
5 Gal	MS6105	MS6205	MS6305	MS6605	MS6705	MS6805	\$134.95

IMPORTANT: Do not use tack cloth between coats. It can cause crazing.

A Green Technology Pre-Catalyzed Wood Lacquer... With Innovation and Performance Like No Other!



No wonder it was rated best all around water-based finish for the buck by Fine Woodworking magazine*. This internally cross-lined water-based lacquer is extremely tough and durable with clarity, depth and richness like no other water-based finish on the market. This is a **Green Technology** product for its very low VOC, safety and being very environmentally friendly, including to chemically sensitive individuals. Makes finishing wood safe and easy. No window of recoatability; recoat at any time. No need to sand between coats, if so desired. Self-sealing (recommended) or apply over our Clear Wood Sealer (listed below), if so desired. For finishing and refinishing all interior furniture, kitchen cabinets, table tops, office furniture, antiques, and paneling. Not recommended for bar tops, restaurant tables, or flooring - use our **POLYSHIELD®** instead, or the **Green Technology™ GYMCOTE™** for flooring application (see flooring products section of this catalog). Apply by spray or a good quality foam brush such is our Polybrush (p 34). For interior use only.

Unique and Optimized Features

- ✓ **Green Technology** Product
- ✓ Quick Drying and Non-Yellowing
- ✓ Outstanding clarity and depth
- ✓ Outstanding warmth and grain definition
- ✓ Tough and durable
- ✓ Ready To Spray with Excellent Flow and Leveling
- ✓ No Catalyst/Pot Life Problem or Restrictions
- ✓ Recoatable any time - **100% burn-in**
- ✓ Meets KCMA standards for kitchen cabinets

Solids, by wt.:	35%
Solids by vol.:	32%
Viscosity:	25-30 sec. #4 Ford Cup
Coverage:	400 sq. ft. per gallon
Recoat time @ 75°F, 45% RH:	60 minutes
Drying time @ 75°F, 45% RH:	Dust free, 10-15 min.
VOC:	0.5 lbs/gal (60 g/L)

CLEAR S

SIZE	GLOSS	SATIN	DULL SATIN	WT.	PRICE
QRT	63200	63300	N/A	3#	\$ 10.95
GAL	63201	63301	63001	10#	\$ 28.95
5 GAL	63205	63305	63005	46#	\$121.95
55 GAL	63255	63355	63055	475#	Call

PIGMENTED

SIZE	PRIMER		GLOSS		SATIN		WT.	PRICE
	White	Black	White	Black	White	Black		
QRT	92800	58200	54000	53300	54100	53400	3#	\$12.95
GAL	92801	58201	54001	53301	54101	53401	12#	\$29.95
5 GAL	92805	58205	54005	53305	54105	53405	50#	\$129.00



IMPORTANT: Do not use tack cloth between coats. It can cause improper cure, crazing, lifting or peeling.

*November/December 2006 Issue

HYDROCOTE® CLEAR WOOD SEALER

This non-stearated, easy sanding, quick drying sealer performs like no other water-based sanding sealer. For starters, it does not raise the grain on most woods, nor darkens the wood grain on oak or cherry like others. In fact, keeps the wood grain color neutral. Applicable as a sealer under all our HYDROCOTE® Finishes if so desired, or wherever sealing is required. Equally excellent as a quick drying, environmentally safe sealer under slow drying solvent-based varnishes or polyurethanes wherever such application is required. For interior use only.

VOC = 0.5 lbs/gal, 60 g/L Solids = 30% Coverage: 350-400 sq. ft./gal

SIZE	CAT#	PRICE
QRT	69500	\$10.95
GAL	69501	\$28.95
5 GAL	69505	\$121.95
55 GAL	69555	Call



NON-GRAIN RAISING

EVERLAST™ Eco Friendly Clear Varnish/Polyurethane



This pleasant odor, quick drying, and non-flammable oil-modified finish combines warmth and clarity of a varnish and tung-oil with the toughness and durability of a polyurethane. Yet, by far a superior finish than tung-oil finish in cure time and durability. Its advanced technology and unique attributes makes **EVERLAST™** suitable for onsite jobs. Provides fast and superior protection, color retention and easy repair to all interior and exterior woodwork: kitchen cabinets, doors, trim, paneling, bar tops, table tops, school desks, etc. **EVERLAST™** is easy to use and has excellent resistance to abrasion, foot traffic, stains, alcohol, water spotting, acids and alkali, etc. Dries within two (2) hours (at 75° F and 45% relative humidity), tack free in about 30 minutes, recoat in 4-6 hours*. Its light straw color enhances color of the wood grain. It absorbs UV rays into itself, thus protects the wood substrate from UV damage. Resists flaking and chipping. Supplied at 50% solids, thus builds fast and is VOC compliant in all 50 states. No need to sand between coats if recoated within 24 hours.

The sealer offers deep sealing of the wood grain for enhanced resistance to water migration, thus damage or lifting. It's odorless. It is highly recommended for open grain woods, two coats.

Interior/Exterior Quick Drying

Key Product Benefits

- ✓ Interior/Exterior
- ✓ Pleasant Odor
- ✓ Non-Flammable
- ✓ Superb Durability with Excellent Chemical Resistance
- ✓ No Limit On Number Of Coats
- ✓ Easy Application by Spray Brush, Roller, Paint Pad, or Wipe-On
- ✓ High Build, Usually Requires Only 2 Coats
- ✓ Quick Drying, Reduces Time Between Coats
- ✓ Sanding Between Coats Not Required
- ✓ Blocks UV Rays From Damaging Stain Or Substrate
- ✓ No Plastic Like Appearance
- ✓ Excellent Abrasion Resistance
- ✓ Adheres To Any Finish For Added Durability or Repair, Including UV Coatings
- ✓ Superior Performance and Durability to Tung Oil (cure wise and durability)

Apply by spray, brush, roller, paint pad, or wipe on. Should be thinned only for spray application up to 25% with our **EVERLAST™ Reducer**.

To enhance drying time, **EVERLAST™ Drier** can be added at 2 oz per gallon at anytime at any time in the schedule of finishing, though to be avoided in exterior application to give ample cure time..




Solids, by wt.:	50%
Solids by vol.:	46%
Viscosity:	20-25 sec. #4 Ford Cup
Coverage: Top Coat.....	500-600 sq. ft. per gallon
Sealer.....	200-300 sq. ft. per gallon
Recoat time @ 75°F, 45% RH:	3 - 4 hours *
Drying time @ 75°F, 45% RH:	Dust free, 30 min.
VOC:	2.29 lbs/gal (275 g/L)

* **EVERLAST's** unique properties permit recoating by spray application every ten (10) minutes or so (while still tacky), provided ample drying time (usually 24 hours) is given prior to applying the last coat and, next to the last coat is sanded thoroughly with 220-400 no load sandpaper to remove any imperfection.

Size	Gloss 92% Sheen	Semi-Gloss 70% Sheen	Satin 50% Sheen	Sealer	Price	EVERLAST REDUCER	
1 Qrt	40100	40200	40300	40500	\$12.25	40400	\$10.95
1 Gal	40101	40201	40301	40501	\$28.95	40401	\$14.95
5 Gal	40105	40205	40305	40505	\$98.95	40405	\$59.95

EVERLAST™ Drier		
ED-004	4 oz	\$3.95
ED-008	8 oz	\$7.95
ED-032	Quart	\$19.95
Recommended addition, 2-4 oz per gallon		



Low VOC™ WOOD LACQUER (VOC COMPLIANT) - HIGH SOLIDS

Top quality, all purpose lacquer for interior wood and metal furniture finishing. **Ready to spray** as supplied. Excellent lacquer for most interior wood furniture finishing. VOC compliant to meet current **Clean Air Act** standards. Formulated for maximum adhesion, toughness and build, with excellent resistance to water, heat and alcohol. This lacquer can be topcoated with **Magna-Shield®** or **EVERLAST™** Varnish/Polyurethane for added durability and toughness.

Offered in **Clear Straw Color** - for all purpose application; **Water Clear** - for use over bleached or "pickled" wood or white pastel stains; **White Pigmented** and **Black Pigmented** Lacquers. Solids = 30% for the clears, 45% solids for pigmented; no thinning required. In case of orange peel, thin up to 10% with our Lacquer Thinner #1 or #2. **Sheen: Gloss = 90, Satin = 45, Flat = 13%**

Key Product Benefits

- ✓ Ready for Spray - No Thinning Required
- ✓ Fast Drying
- ✓ VOC Compliant
- ✓ High Solids, Excellent Build
- ✓ Moisture and Heat Resistant
- ✓ Excellent Build
- ✓ Excellent Flow and Leveling
- ✓ Exceptional Clarity and Depth (clears)

Clears

5 GAL	Gloss	Satin	Flat	Sealer	Vinyl Sealer	Wt.	Price
CLEAR STRAW	94705	96205	97405	95805	95505	44#	\$90.95
WATER CLEAR	62505	62605	62705	95305	95905	44#	\$94.95
Pigmented							
5 GAL	Gloss	Satin	Flat	Primer	No-Bleed Primer*	Wt.	Price
WHITE	67305	67405	N/A	67205	93105	50#	\$129.00
BLACK	68305	68405	68505	68205	N/A	46#	\$129.00

Available in gallon containers as well. Add \$2.00 per gallon to above prices. Replace last two digits, 05, with 01 in above prod #s. For example, 94705, is 94701 for a gallon size

* Blocks stain and tannin from bleeding up through the finish.

SEALCOAT™

This shellac based universal sanding sealer is compatible with all finishes; lacquers, oil and water-based, varnishes, polyurethanes, shellac, pre and post catalyzed lacquers and varnishes. 100% wax free Sealcoat brings out the natural beauty of the wood's patina. Though amber in color, it will not yellow over time. Fast drying, can be sanded and recoated in minutes.

Excellent for under all water-based finishes, including HYDROCOTE® Resisithane™ to bring out warmth and depth to the grain while blocking grain raising.

Also recommended for sealing oil based stains prior to topcoating with any water-based finish; avoids lifting and window of coatability.




30400	Quart	\$9.95
30401	Gallon	\$26.95
30405	Pail	\$129.00

NO LIFT LACQUER

Bonds nitrocellulose lacquers to conventional varnishes and urethanes without lifting or crazing them.

Apply per label directions over a varnish then lacquer over as needed. Ready for spray application as supplied - no thinning required.

98701	Gallon	\$19.95
98705	Pail	\$89.95
98701R	Gallon (Reducer)	\$12.95



LIQUID SHELLAC

Guaranteed 4-lb cut from gums selected for color, durability, solubility and uniformity. No resins or artificial color. Excellent for use on antiques to give that warm and soft look. Available in white and orange.

90000-01	Clear	16 oz. Aerosol	\$ 6.95
90001-01	Clear	Gallon	\$28.95
90001-02	Amber	Gallon	\$28.95

BARRIER COAT SEALER

Designed for use as a bridge coat between an existing tough finish (catalyzed lacquer, conversion varnish, catalyzed polyurethane, polyester, etc.) that needs no removal and a new top coat of lacquer. Bonds to laminates as well. *Not recommended over varnishes or urethanes unless above NO LIFT LACQUER is used first.* Ready for spray application, no thinning required.



95401	Gal	\$19.95
95405	Pail	\$86.95



FISH-EYE AND SILICONE SEALER

Seals in silicones and silicone based contaminants thus preventing fish-eyes, wet spots and orange peel. **A must for any furniture refinisher.** Will not lift nor discolor light woods. Shellac-Nitrocellulose Lacquer based. Ready for spray or brushing application - no thinning required.

For best results, apply multiple coats to seal in the contaminants. Allow ample time between coats and, do not sand between coats. Four coats may be necessary to do the job

95701	Gallon	\$19.95
95705	Pail	\$89.95

THINNERS & SOLVENTS

LACQUER THINNER

Superior quality all purpose thinners designed for use with all our lacquers and most other lacquers including modified acrylics. Each blend uniquely designed and balanced to accommodate changing weather conditions, type of lacquer, and finishing demand.

CAT#	DESCRIPTION	APPLICATION	SIZE	PRICE
90301	Lacquer Thinner #1	All Year Round	Gal	\$9.95
90305	Lacquer Thinner #1	All Year Round	Pail	\$49.00
90355	Lacquer Thinner #1	All Year Round	Drum	Call For Pricing
90501	Lacquer Thinner #2	Extremely hot & humid weather	Gal	\$10.95
90505	Lacquer Thinner #2	Extremely hot & humid weather	Pail	\$51.95
90555	Lacquer Thinner #2	Magna-Shield®, & Water White Lacquers	Drum	Call For Pricing



MAGNA-SHIELD® RETARDER PLUS



This non-flammable retarder, designed for Magna-Shield® is suitable for use with any other lacquer system including acrylics. Requires a fraction of the amount compared to other retarders, but, more important, will not leave the finish soft as do others when used properly.

MS9901	Gallon	\$16.95
MS9905	Pail	\$59.95

BLUSH ELIMINATOR

Spray over already blushed lacquers. Spray a thin to medium coat over the blushed lacquer. It partially redissolves the lacquer then releases entrapped moisture. Levels orange peel and overspray as well. Contains no retarders. Doesn't leave the film soft. Quick drying.



91301	Gallon	\$16.95
91305	Pail	\$59.95
B-871	16 oz. Aerosol Can	\$5.25

FLOW OUT SOLVENT



Blend of specialty solvents designed to help lacquers flow out better, eliminating orange peel, pin holes and craters. Can also be spray applied over semi-dry lacquer in a light/medium coat, to level orange peel and/or film imperfections.

91101	Gallon	\$16.95
91105	Pail	\$59.95

FISH-EYE & WET SPOTS ELIMINATORS

A must for a furniture refinisher. The fish-eye eliminator prevents and/or stops fish-eyes caused by silicone contamination, while the wet spots eliminator stops and/or prevents wet spots caused by paraffin waxes found in finish removers (used to retard evaporation) and, in many furniture polishes.



91500FO	8 oz	\$ 11.95
91502FO	Quart	\$39.95
91500WS	8 oz	\$ 11.95
91502WS	Quart	\$39.95



NO BLUSH SOLVENT

Add to conventional lacquers to eliminate blushing in hot and humid weather. Contains no retarders hence will not slow down the drying time nor leave the finish soft. Add 4 to 8 oz. per quart of thinned lacquer or sealer then spray away. Slight blushing may occur on very hot and humid days but will disappear upon drying. Not recommended for Pre-Cat lacquers.



92001	Gallon	\$16.95
92005	Pail	\$66.95

BRUSH AND GUN CLEANER

Superior quality yet economical brush and spray gun cleaner. Dissolves lacquers, varnishes, polyurethanes, acrylics and most alkyd paints. A must for keeping finishing tools in high performance.



90605	Pail	\$49.95
-------	------	---------

MINERAL SPIRITS ODORLESS MINERAL SPIRITS

Top quality mineral spirits designed for thinning stains and conventional wood fillers, or for slowing down the drying time of NGR Stains and most Pigmented Wiping Stains.



90805	Pail	40#	\$49.95
90805OD	Pail	40#	\$59.95

LACQUER & POLYURETHANE/VARNISH FLATTING AGENT

Excellent flattening additive for use with all our solvent based finishes, clear or pigmented. Allows control of finished sheen by adding prescribed amount to a finish prior to application. **NOT FOR USE WITH WATER-BASED FINISHES.** Follow label directions prior to use.

For Nitrocellulose Lacquer

91800	Quart	\$10.95
91801	Gallon	\$22.95

For Polyurethane/Varnish

91900	Quart	\$10.95
91901	Gallon	\$22.95



VM & P NAPHTHA

Quick drying naphtha. Use in place of or in conjunction with mineral spirits, Turpentine or Stain Reducer to speed up drying time of Stains or conventional paste wood fillers.



90105	Pail	\$49.95
-------	------	---------

ACETONE/MEK

Fast drying solvents with a multitude of applications. Add to lacquer thinners (up to 50%) in cold winter months to speed up the drying time of lacquers. For cleaning of raw or stripped wood and metal prior to finishing or refinishing and, for moisture removal from wood surface prior to refinishing. MEK has a higher flash point than Acetone, hence safer to use.



102305 (Acetone)	Pail	\$49.95
105305 (MEK)	Pail	\$49.95

HYDROCOTE® POLYSHIELD® CLEAR SUPERPOLY

The supreme finish of all, short of water-based polyester. A super tough, super hard, non-yellowing pure aliphatic polyurethane that is both UV stable to meet the most demanding wood surface protection - interior and exterior. Self-sealing for exterior application, or apply over HYDROVCOTE® Clear Wood Sealer (interior), if so desired. For finishing and refinishing of all interior and exterior furniture, kitchen cabinets, table tops, counter tops, office furniture, children's toys, school desks, pews, bathroom fixtures, flooring, and above waterline marine woodwork.

For best results, consult label directions prior to use.

- ✓ Quick Drying
- ✓ Highly versatile - apply by brush, dip, spray, wipe on
- ✓ Water clear and non-yellowing
- ✓ Outstanding clarity and depth
- ✓ Outstanding warmth and grain definition
- ✓ Super tough and durable
- ✓ Mar, water, and chemical resistant
- ✓ Recoatable at any time
- ✓ Exceeds KCMA standards for kitchen cabinets
- ✓ Minimal grain raising if sanded to 220 grit

SIZE	GLOSS	SATIN	WT.	PRICE
QRT	69600	69700	3#	\$19.95
GAL	69601	69701	10#	\$49.95
5 GAL	69605	69705	46#	\$229.95



Green Technology™

HYDROCOTE® CLEAR POLYURETHANE (Amber Tone)

This quick drying, tough and durable *Green Technology* polyurethane has an amber tone which gives the warmth and look of a solvent based varnish or polyurethane yet dries 75% faster. This polyurethane is self-sealing - no sealer required though the Clear Wood Sealer can be used for sealing, if so desired on open grained woods. For finishing and refinishing of all interior wood paneling, flooring, steps and banisters.

Solids, 35%. Coverage: 400-500 sq ft/gal. VOC, 0.5 lbs/gal (60 g/L)

- ✓ Quick drying
- ✓ Slight amber color enhances wood grain
- ✓ Outstanding clarity and depth
- ✓ Super tough and durable
- ✓ Mar, water, and chemical resistant
- ✓ Recoatable at any time
- ✓ Meets KCMA standards for kitchen cabinets
- ✓ Highly versatile - apply by spray, brush, dip or wipe-on
- ✓ Minimal grain raising if sanded to 220 grit



SIZE	GLOSS	SATIN	WT.	PRICE
QRT	99600	99700	2#	\$12.95
GAL	99601	99701	10#	\$29.95
5 GAL	99605	99705	46#	\$129.95

HYDROCOTE® PENETRATING WOOD STAIN

(Non-Grain Raising and Green Technology)

Quick drying, interior exterior stain that offer excellent grain penetration, clarity and color retention. Can be coated with any type of finish, solvent or water based. Apply by spray, brush or wipe-on. Can be intermixed to achieve custom colors. Thin with water or HYDROCOTE® Stain Reducer (see below) for lighter effect or, to slow down the drying time. Mix with Clear Stain Base to reduce color intensity. On soft woods such as pine, fir, spruce, etc., use HYDROCOTE® WOOD PRE-SEAL prior to staining. It prepares soft woods for staining by controlling color penetration thus avoiding blotches and streaks. Coatable within 30 minutes. Please specify CAT #, COLOR# and COLOR when ordering.

Coverage, 200 sq. ft./gal.

91697-	Quart	\$9.95
91698-	Gallon	\$19.95
91699-	5 Gal Pail	\$86.95



Green Technology™



COLOR	COLOR #	COLOR	COLOR #
Natural	00	Maple	09
Golden Oak	01	Medium Brown Walnut	10
Red Mahogany	02	Ebony	12
Dark Mahogany (Brown)	03	Provincial Walnut	15
Dark Walnut	05	Stain Reducer	99
Black Walnut	06	Clear Stain Base	50
Cherry	07		

HYDROCOTE® FISH-EYE STOP & FLOW

Stops "fish-eyes" in HYDROCOTE® Finishes, and other water-based finishes, caused by oil and other wood surface contaminants when refinishing furniture. Also improves flow and leveling as well in spray application. Concentrated, use only small amount. Add 1 to 2 capfuls (bottle cap) per quart of finish while mixing



61599	8 oz.	\$11.95
61500	Quart	\$39.95

HYDROCOTE® FLATTING COMPOUND

Excellent flattening compound for use with the clear and pigmented HYDROCOTE® Finishes. The flattening compound allows control of finished sheen by adding prescribed amount to the finish prior to application. Follow label directions for best results.

91890	Quart	\$12.95
91891	Gallon	\$24.95



SOLVENT BASED STAINS AND COLORANTS

WIPING WOOD STAIN

A pigmented stain that is color fast, non-graining raising and quick drying, with very good transparency and color definition. VOC compliant. Apply by spray, brush or wipe. Dries in 15 minutes. Coat over in one hour by spray, overnight if brushing or wiping a finish on. Easy to control with no lapping or blotching. Dark color tones are easily lightened with our Clear Wiping Stain Reducer. Nearly any type of finish can be applied over this stain: lacquer, varnish, polyurethane, acrylic, shellac, tung oil, or water-based.

Specify CAT #, COLOR # and COLOR when ordering. All colors are true match to Mohawk's Wiping Wood Stain but without that "muddy" look. *Victorian Cherry* and *Autumn Cherry* are our own added colors.



54500-	Quart	\$13.95
54501-	Gallon	\$26.95

COLOR #	COLOR	COLOR #	COLOR
00	Natural	22	Van Dyke Brown
01	Golden Dark Oak	36	Nutmeg
33	Golden Light Oak	07	Cherry
37	Statesman Oak	38	Victorian Cherry
02	Red Mahogany	39	Autumn Cherry
03	Dark Red Mahogany	41	Dark Fruitwood
04	Brown Mahogany	09	Colonial Maple
35	Modern Mahogany	25	Brown Maple
10	Medium Brown Walnut	26	Burnt Sienna
05	Medium Dark Walnut	27	Burnt Umber
06	Extra Dark Walnut	12	Ebony (Black)
17	Perfect Brown	44	Limed Oak (NEW)
		49	Fumed Oak (NEW)

Color chart available on the inside front cover upon request and on the internet



WIPING STAIN REDUCER

A balanced formulation of solvents and other additives for thinning above stains or, as vehicle for reducing U-T-C tints and Japan Colors. Better than Mohawk's S15 Stain Reducer and costs less too.

92200	Quart	\$8.95
92201	Gallon	\$14.95
92205	Pail	\$59.95

JAPAN COLORS

Semi-paste, extra fine ground pigments in an alkyd base. Non-fading. Can be used for making Glazing Stains and for tinting conventional wood fillers. Thin 1 to 1 with mineral spirits, paint thinner, turpentine or VM&P naphtha if making glazes. Can be added directly to wood fillers to make custom colors. Not recommended for shellac, alcohol, or water based glazes or wood fillers.



CAT #	COLOR	PRICE	CAT #	COLOR	PRICE
92102	American Vermillion	\$18.90	92111	Flake White	\$15.95
92104	Chrome Yellow Med.	\$25.50	92112	French Yellow Ochre	\$14.95
92105	Drop Black C	\$14.95	92113	Bulletin Red	\$19.95
92106	Burnt Sienna	\$14.95	92115	Refined Lampblack	\$14.95
92107	Raw Sienna	\$14.95	92116	Rose Pink	\$21.70
92108	Burnt Umber	\$14.95	92118	Venetian Red	\$14.95
92109	Raw Umber	\$14.95			
92110	Van Dyke Brown	\$14.95			

PIGMENT SYRINGE

60 cc (2 fluid oz.) syringe measures in single cc and 1/4 oz increments. Excellent for use with any hard pouring colorants where precise measurements are critical, such as Tinting Colorants and Japan Colors.



10888 **\$2.95**

WHITE PICKLING STAIN

Quick drying wiping stain used for highlighting the grain to achieve that pickled look. Non-yellowing. Can be tinted with our U-T-C's for custom colors. For large surface area application, the drying time can be slowed down for workability by thinning with Wiping Stain Retarder (see below). Dries in 15 minutes. Can be top coated in 30 to 60 minutes. Thinner recommended: Wiping Stain Reducer. Mix well prior to use.



91680-11	Quart	3#	\$11.95
91683-11	Gallon	10#	\$25.95

U-T-C TINTING COLORS (SOLVENT BASED)

Extra fine pigment dispersions for tinting solvent based oil paints, alkyds and nitrocellulose lacquers. Non-fading. Can also be used to make Glazing Stains (Glazes) by mixing 1 to 1 with our Wiping Stain Reducer or for making stains by mixing 1 to 5 parts with our Wiping Stain Reducer. **Not recommended for shellac, alcohol or water based stains or finishes. Available in quarts only.**



CAT #	COLOR	PRICE	CAT #	COLOR	PRICE
92210-01	Phthalo Blue	\$26.75	92210-09	Flake White	\$17.95
92210-02	Lithol Red	\$26.75	92210-10	Lamp Black	\$14.95
92210-03	LF Med Yellow	\$26.95	92210-11	Yellow Ochre	\$14.95
92210-04	Burnt Sienna	\$14.95	92210-12	Dinitro Orange	\$25.25
92210-05	Raw Sienna	\$14.95	92210-13	Yellow Iron Oxide	\$14.95
92210-06	Burnt Umber	\$14.95	92210-14	Phthalo Green	\$26.95
92210-07	Raw Umber	\$14.95	92210-16	Toluidine Red	\$26.95
92210-08	Van Dyke Brown	\$15.95	92210-18	Venetian Red	\$14.95
			92210-36	Quinacridone Violet	\$47.75



COLOR COMPUTER WHEEL

It answers the problems of color mixing and color matching by a turn of a wheel. Indicates results obtained when colors are mixed with each other or added individually or, mixed with white. Excellent for creating custom colors utilizing our U-T-C's, Japan Colors or HYDROCOTE® Tinting Colorants.

91670	For Solid Colors	\$13.95
91671	For Stain Colors (Wiping Stains)	\$13.95



Stains

Pigmented Wiping



1-800-229-0934


Semi-Transparent ■ Non-Grain Raising ■ Quick Drying ■ Fade Resistant



00-Natural



01-Dark Golden Oak




02-Red Mahogany




03-Dark Red Mahogany




04-Brown Mahogany




05-Medium Dark Walnut




06-Extra Dark Walnut



07-Cherry




09-Colonial Maple




10-Medium Brown Walnut




17-Perfect Brown



22-Van Dyke Brown




24-Light Red Mahogany




25-Brown Maple



26-Burnt Sienna



27-Burnt Umber




28-Raw Umber




33-Light Golden Oak



35-Modern Mahogany



36-Nutmeg



37-Statesman Oak



39-Autumn Cherry




38-Victorian Cherry



40-Light Fruitwood




41-Dark Fruitwood



12-(Ebony) Black



44-Limed Oak



49-Fumed Oak

NOTE: Colors are approximate. Depending on type of wood, variations from above may occur.

SOLVENT BASED STAINS

PENETRATING WOOD STAIN

Quick drying, non-grain raising, *no sand* stain that will not raise the grain yet will assure smooth and even coloration. Can be added to our **Magna-Shield®**, our nitrocellulose lacquers, and our **EVERLAST™** finish for tinting or shading purposes. Pre-mix with lacquer thinner prior to addition to any lacquer or **Magna-Shield®**. Dries in 10 minutes. Can be top coated in 30 minutes. Additional shades can be created through intermixing. Apply by brush, wipe-on, or spray on. If spraying on, apply an even coat, then wipe off excess with a lint free cloth. Not recommended for exterior application or direct sunlight exposure. Concentrated – thinnable with our Wiping Stain Reducer (p 8), lacquer thinner or mineral spirits (to slow down drying time). In the event of blotching on soft woods, use the below **Wood Conditioner** first per label directions.



91660-	Quart	\$9.95
91662-	Gallon	\$19.95

#	COLOR	#	COLOR	#	COLOR
01	Golden Oak	05	Dark Walnut	09	Maple
02	Red Mahogany	06	Black Walnut	12	Ebony
03	Dk Mahogany	07	Cherry	10	Med. Brn Walnut
04	Brn Mahogany	08	Fruitwood	15	Provincial Walnut
				17	Perfect Brn Walnut

Color chart available on inside back cover and on the internet

LIQUID STAIN CONCENTRATE

Concentrated dye type stain for making custom stains, shading lacquers, or for tinting grain fillers and adhesives. Thin with our Wiping Stain Reducer (see page 8), lacquer thinner, denatured alcohol, mineral spirits, or turpentine to make custom stains. Can be added directly to nitrocellulose lacquers, polyurethanes and varnish but, not shellac. Can be intermixed to create custom colors. Specify COLOR # when ordering.



Color chart available on inside back cover

91700-	Quart	\$ 9.95
91711-	Gallon	\$29.95

#	COLOR	#	COLOR
01	Dark Mahogany (Dark Red)	06	Maple
02	Red Mahogany (Bright Red)	07	Rosewood
03	Light Oak	08	Van Dyke Brown
04	Dark Oak	11	Dark Pine
05	Walnut	12	Ebony (Black)

WOOD CONDITIONER

Prevents blotching of stains on soft woods such as pine and fir, and black spots on cherry and maple. Quick drying; stain over in 30 minutes. Non-grain raising. Excellent under any solvent or water based stains susceptible to blotching, including Minwax Stain. Follow label directions prior to use.



47900	Quart	\$ 9.95
47901	Gallon	\$18.95

RAGS - FOR CLEANING, STAINING, POLISHING, PADDING

Superb quality rags designed for multi-tasking as given below. For example, the Premium Ganzie rags are lint-free, recycled T-shirts that are silk-screen free. Our biggest seller in rags because these are applicable to general purpose cleaning (before and after stripping), staining, hand polishing of finishes and lacquer padding.




CAT #	TYPE	APPLICATION	WT.	PRICE
97650	Ganzie	Cleaning, Staining	50#	\$65.00
97660	Premium Ganzie*	Cleaning, Staining, Polishing	50#	\$75.00
97950	Colored Cotton Rags	Cleaning, Staining	50#	\$40.95
97750	White Sheeting	Cleaning, Staining	50#	\$69.00
559-25	Tight Weave Cheesecloth	Cleaning Staining, Padding	25#	\$99.00

*White T-Shirt material with no silk screens

ASPHALTUM

This tar-like naturally occurring dark brown colorant is excellent for making walnut shade stains, glazes or, for adding to most solvent based stains to enhance brown shade. Mixes easily into most solvents such as our Wiping Stain Reducer (see page 8) lacquer thinner, paint thinner, xylene, and toluene as well as lacquer and varnishes. It is unique in that it offers clarity and transparency of a dye with fade resistance of a pigment. Non-grain raising.



91400	Quart	\$12.95
91401	Gallon	\$29.95



COLOR COMPUTER WHEEL

It answers the problems of color mixing and color matching by a turn of a wheel. Indicates results obtained when colors are mixed with each other or added individually or, mixed with white. Excellent for creating custom colors utilizing our U-T-C's, Japan Colors or HYDROCOTE® Tinting Colorants.

Available in two types of color wheels: for creating solid (opaque) colors or, for creating pigmented stain colors.

91670	For Solid Colors	\$13.95
91671	For Stain Colors (Wiping Stains)	\$13.95

COLOR MATCHING OF STAINS

In trying to achieve a color match, a unique shade or enhance a stain, use the following chart as a reference point.

TO INCREASE	ADD
Brown Tones	Dark Walnut, Extra Dark Walnut, Dark Pine
Red Tones	Cherry, Red or Dark Mahogany
Yellow Tones	Golden Oak, Yellow
Orange Tones	Maple, Cherry, or Orange



Penetrating Stain



1-800-229-0934

Transparent ■ Non-Grain Raising ■ Quick Drying ■ Low Fading ■ Solvent Based



01-Golden Oak



02-Red Mahogany



03-Dark Mahogany




04-Brown Mahogany



05-Dark Walnut




06-Black Walnut



07-Cherry




08-Fruitwood



09-Maple



10-Medium Brown Walnut



12-Ebony (Black)



15-Provincial Walnut




17-Perfect Brown Walnut



Liquid Stain Concentrate



01-Dark Mahogany




02-Red Mahogany



03-Light Oak




04-Dark Oak



05-Walnut



06-Maple



07-Rosewood



08-Van Dyke Brown



11-Dark Pine



12-Ebony (Black)

NOTE: Colors are approximate. Depending on type of wood, variations from above may occur.

HYDROCOTE® STAINS & COLORANTS

HYDROCOTE® TINTING COLORS

Highly concentrated, extra fine ground pigment, free of fillers and extenders. Designed for use as tints with all the HYDROCOTE® Finishes to create custom colors. Can also be used to make Glazing Stains by mixing 1 to 1 with Reducer or, Wiping Stains by mixing 1 part with 5 parts of Reducer. A formulary for making Pigmented Wiping Stains is available upon request. Please specify CAT #, COLOR # and COLOR when ordering.

Available in quarts only.



92270- Quart

COLOR	COLOR #	PRICE
Deep Organic Red*	01	\$26.95
Organic Med. Yellow*	02	\$26.95
Dinitro Orange	03	\$26.95
Raw Sienna	04	\$15.95
Burnt Sienna	05	\$15.95
Raw Umber	06	\$15.95
Burnt Umber	07	\$15.95
Van Dyke Brown	08	\$15.95
Flake White	09	\$18.95
Tinting Black	10	\$15.95
Phthalo Blue*	11	\$26.95
Phthalo Green*	12	\$26.95
Yellow Ochre	14	\$15.95
Transparent Red Oxide	20	\$26.95
Transparent Yellow Oxide	21	\$26.95
Tinting Color Reducer**	99	\$9.95
91697-50 - Clear Stain Base (qt)		\$9.95
91698-50 - Clear Stain Base (gal)		\$19.95

**(For making stains, glazes)

***NOTE:** When adding these colorants, pre-mix with small amount of Tinting Color Reducer or water prior to addition to the finish.

HYDROCOTE® PENETRATING WOOD STAIN

(Non-Grain Raising and Low VOC)

Quick drying, *interior* *exterior* stain that offer excellent grain penetration, clarity and color retention. Can be coated with any type of finish, solvent or water based. Apply by spray, brush or wipe-on. Can be intermixed to achieve custom colors. Thin with water or **HYDROCOTE® Stain Reducer** (see below) for lighter effect or, to slow down the drying time. Mix with Clear Stain Base to reduce color intensity. On soft woods such as pine, fir, spruce, etc., use **HYDROCOTE® WOOD PRE-SEAL** prior to staining. It prepares soft woods for staining by controlling color penetration thus avoiding blotches and streaks. Coatable within 30 minutes. Please specify CAT #, COLOR# and COLOR when ordering.

Coverage, 200 sq. ft./gal.

91697- Quart \$9.95

91698- Gallon \$19.95

COLOR	COLOR #
Natural	00
Golden Oak	01
Red Mahogany	02
Dark Mahogany (Brown)	03
Dark Walnut	05
Black Walnut	06
Cherry	07
Maple	09
Medium Brown Walnut	10
Ebony	12
Provincial Walnut	15
Stain Reducer	99
Clear Stain Base	50



HYDROCOTE® AMBER ADDITIVE

Because the **RESISTHANE™ Plus** and **Clear POLY-SHIELD®** are water white, in some applications the slightly amber tone (typically imparted by standard nitrocellulose lacquers, polyurethanes, or a varnish) is desired. Gives more warmth and depth to the natural color of some woods, such as red oak, walnut, or mahogany. The amber additive does an excellent job in simulating that standard lacquer look. Add 1 fluid oz. per quart to all the finishes mentioned above or any other water-based finish. Mix well while adding slowly to avoid shocking the system.

61600 Quart \$7.95

61601 Gallon \$19.95



HYDROCOTE® WHITE PICKLING STAIN

Excellent for highlighting the grain to achieve that pickled look. Can be tinted with HYDROCOTE® Tinting Colors or Universal Tints to achieve custom colors. Thin with HYDROCOTE® Stain Reducer or Clear Stain Base (see above) for lighter effect or spray application. Excess, while drying, can be removed with a damp rag to control degree of pickling.



91690-11 Quart \$9.95

91691-11 Gallon \$19.95

HYDROCOTE® BRUSH & GUN CLEANER

Designed specifically for use with all water-based and HYDROCOTE® Finishes. Does an excellent job cleaning the spray equipment or brushes. Since this product is water based, it tends to dissolve or soften HYDROCOTE® Finishes slower than a lacquer thinner. It is, therefore, very important to flush spray equipment immediately upon use with warm to hot water, then once per week use the Brush & Gun Cleaner to remove residual deposits. Make certain to flush the equipment thoroughly with tap water prior to use.



90660 Quart \$10.95

90661 Gallon \$18.95

90665 5 Gal Pail \$69.95

HYDROCOTE® WOOD PRE-SEAL

Prepares unfinished soft and open grain woods to accept water-based finishes and stains without grain raising or wood swelling. Above all, it brings out warmth and color of the wood grain just like a nitrocellulose lacquer or a varnish. That is, on oak wood for instance, it brings out the yellow and red hues that are associated with warmth. Water-based sealers and top coats tend to either wash out the color or, bring out green, blue and gray hues that are aesthetically less appealing to the eye.

48000 Quart \$7.95

48001 Gallon \$15.95

48005 5 Gal Pail \$69.95



HOODSTRIP® brand

Paint, Varnish, Lacquer, Shellac and Polyurethane Removers

HOODSTRIP® -290 NON-FLAMMABLE FINISH REMOVER - ALL PURPOSE LIQUID

The best all purpose *liquid* finish remover on the market. Contains no harsh chemicals, lye or strong acids to effectively remove most conventional finishes. Formulated to be relatively ***gentle on the hands and glue joints too, yet fast acting***. Non-grain raising. Has stain pulling action, and can slightly lighten the wood surface when used in conjunction with high pressure water (power wash). ***Non-flammable***; with low evaporation rate and low odor. Water washable or, neutralize with a solvent such as lacquer thinner, our wash thinner or any other suitable solvent. Excellent for flow-on and dip tank stripping systems, and minor hand stripping jobs. **Methylene chloride based.**

Key Benefits

- ✓ Fast acting, low odor
- ✓ Non-flammable
- ✓ Low evaporation rate
- ✓ Gentle on hands and glue joints
- ✓ Stain pulling action
- ✓ Water wash or solvent neutralize
- ✓ Removes lacquer, varnish, urethane, shellac and most paints and pre-catalyzed finishes fast
- ✓ Least harsh remover to your skin and glue joints on the market

Our Best Seller



29001	1 gal container	\$16.95
29005	5 gal pail	\$61.00
29055	55 gal drum	\$395.00

HOODSTRIP® - 888 ALL PURPOSE, NON-FLAMMABLE FINISH REMOVER SEMI-PASTE



Best Semi-Paste, Hand Stripper On The Market

Best all purpose semi-paste finish remover on the market for hand stripping. Contains no harsh chemicals, lye or strong acids to effectively remove lacquers, varnishes, urethanes, most paints and pre-catalyzed lacquers. By design, ***gentle on the hands and glue joints too, yet fast acting***. Non-grain raising. Has stain pulling action, and can slightly lighten the wood surface when used in conjunction with a power wash (water). Non-flammable; with low evaporation rate and low odor. Water wash or, neutralize with a solvent such as lacquer thinner, wash thinner or any other suitable solvent or just wipe with rags ***No-wash***. **Methylene chloride based.**

Key Benefits

- ✓ Fast acting, very low odor
- ✓ Non-flammable
- ✓ Stays wet longer
- ✓ Clings to vertical surfaces
- ✓ Gentle on hands and glue joints; non-grain raising
- ✓ Water wash, solvent neutralize or just wipe with rags


88801	1 gal can	\$ 18.95
88805	5 gal pail	\$ 65.00
88855	55 gal drum	\$445.00

FINISH REMOVERS

HOODSTRIP® - EZ DUZ IT™ LIQUID REMOVER (SUPER STRONG)

Removes epoxy, polyester, catalyzed lacquer, varnish, and polyurethane. Buttermilk paint too. Removes automotive paints and lacquers quickly too. Though supplied in a liquid form, clings very well to vertical surfaces as applied by spray or brush. Non-flammable, low evaporation rate. Water washable or neutralize with a solvent such as wash thinner or lacquer thinner. Excellent for flow-on, dip tank or hand stripping. pH activated, may darken certain woods. Treat with Oxalic Acid solution to bring the color back.

Contains methylene chloride.



71501	1 gal can	\$ 18.95
71505	5 gal pail	\$ 65.00
71555	55 gal drum	\$415.00

HOODSTRIP® -281 "NO WASH" LIQUID FINISH REMOVER

No Neutralization Required; Just Wipe with Rags

Use wherever neutralization is not desirable as on fine furniture and fine antiques. Non-flammable. Low odor. Wipe clean after stripping with rags, or a solvent if so desired. Excellent for flow-on, dip tank systems and hand stripping. Will not pull stains or lighten the wood.

Methylene chloride based.



28105NW	5 gal pail	\$61.00
28155NW	55 gal drum	\$395.00

HOODSTRIP® -295 ALL PURPOSE LIQUID FINISH REMOVER

For multi-layer paints, polyurethanes and catalyzed varnishes removal. pH activated, may darken certain woods. Treat with Oxalic Acid solution (see p.16) to bring the color back if necessary. Non-flammable, low evaporation rate, low odor. Water washable or neutralize with a solvent such as wash thinner or lacquer thinner. Excellent for flow-on and dip tanks systems.

Methylene chloride based.



29505	5 gal pail	\$ 61.00
29555	55 gal drum	\$395.00

HOODSTRIP® -281 ALL PURPOSE LIQUID FINISH REMOVER

Non-Water Washable; Neutralize With Solvent

Excellent all around remover. Use wherever water rinse is not desirable. Non-flammable, low evaporation rate, low odor. Neutralize after stripping with a solvent such as wash thinner, lacquer thinner or other suitable solvents. Excellent for flow-on and dip tank systems. Unlike HOODSTRIP-290, **will not pull stains or lighten the wood.**

Methylene chloride based.



28105	5 gal pail	\$ 61.00
28155	55 gal drum	\$395.00

CUTTING FORCE™ METHYLENE CHLORIDE FREE

Quick acting, industrial strength remover that is non-flammable and **Methylene Chloride free**. Apply by brush, dip or flow-on. Removes paint, lacquer, varnish and most other finishes in 10 to 30 minutes. Water rinseable or, use alcohol, Wash Thinner or lacquer thinner to neutralize. Available in liquid or semi-paste.



	Liquid		Semi-Paste	
1 gal can	84801	\$18.95	24801	\$19.95
5 Gal pail	84805	\$89.95	24805	\$94.95
55 gal drum	84855	\$795.50	24855	\$849.50

HOODSTRIP® -REJUVINATOR FOR FINISH REMOVERS

Rejuvenates spent or used finish removers; they still have a useful life. No need to discard them and save money too by avoiding expensive hazardous waste disposal fees!

Just add 1 part of rejuvenator to 1-3 parts of filtered spent remover. The rejuvenator can be added to any brand, methylene chloride based spent finish removers used in a flow on system, a dip tank, or door tank.

Methylene chloride based.



22505	5 gal pail	\$ 61.00
22555	55 gal drum	\$395.00

FINISH INDICATOR

A must product for every furniture refinisher/restorer. This product will indicate the type of finish one has to strip or refinish over. Apply a drop on the existing finish and the color change will indicate the type of finish it is. Use prior to stripping so that proper remover is utilized to save time and effort. **Contains 2 oz of fluid in an 8 oz bottle.**

Follow label directions prior to use



91608	\$7.95
-------	--------

IMPORTANT

Since April 2000, methylene chloride based removers are subject to strict OSHA regulations if an employee(s) is doing the stripping or, employees are exposed to methylene chloride from the stripping operation.

For detailed information, please consult our publication: "*Methylene Chloride in Furniture Stripping and Refinishing*" available at www.hoodfinishing.com. This handy guide will inform you of what you must know and must do to avoid OSHA's fines and penalties.

Please visit our website for other fine publications.

SURE-STRIP™ METHYLENE CHLORIDE FREE

Environmentally Safe, non-flammable, Methylene Chloride free paint, varnish and lacquer remover. Does an excellent job removing most finishes including HYDROCOTE® Finishes, paints, lacquers, and varnishes but not as fast as a Methylene Chloride based remover. Cuts 50% faster than any other non-flammable, Methylene Chloride free remover on the market. Does not contain any harsh or toxic chemicals. Safe to use on all woods and metals. Apply by brush, dip or flow-on. Let dwell as long as necessary to melt the finish (or lift paint) then scrape off or power wash with water. Removes most finishes in 15 to 30 minutes. Water soluble. Available in liquid or semi-paste.



<u>Liquid</u>		<u>Semi-Paste</u>	
Gallon	24901	84901	\$19.95
5 gal pail	24905	84905	\$94.95
55 gal drum	24955	84955	\$849.50

CUTTING FORCE™ METHYLENE CHLORIDE FREE


Quick acting, industrial strength remover that is non-flammable and Methylene Chloride free. Apply by brush, dip or flow-on. Removes paint, lacquer, varnish and most other finishes in 10 to 30 minutes. Water rinseable or, use alcohol, Wash Thinner or lacquer thinner to neutralize. Available in liquid or semi-paste.



<u>Liquid</u>		<u>Semi-Paste</u>	
1 gal can	84801	24801	\$19.95
5 Gal pail	84805	24805	\$94.95
55 gal drum	84855	24855	\$849.50

HOODSTRIP® - 410 "HOT TANK" REMOVER

When dissolved in water, this product will effectively strip paint and varnish from wood and metal. Use at ambient temperature during summer months and at 75-90°F in fall, winter and spring months. This form of stripping should only be done on selected woods only since grain raising and darkening of the wood will occur. Excellent for stripping paint off shutters and architectural work, for example. Dissolve in water at 5-6 oz per gallon. Any darkened wood can be toned back to original color with oxalic acid dissolved in warm water.



41005	5 gal pail	\$ 69.00
41055	55 gal drum	\$525.00

YANKEE POWDER PAINT STRIPPER (same as original "Peel Away")



When mixed with water, makes a powerful paint remover for tough old paints: latex, casein, buttermilk and oil. Not recommended for clear finishes. The 3 lb. size comes pre-bagged in a handy 1 gallon plastic container for easy mixing. Remove the bag, fill the container with cold water 80% full then add the powder slowly while stirring. Makes one gallon of a creamy stripper that can be then brushed onto the surface to be stripped. Consult label directions prior to use.

43101	Pint	Yields One Quart	\$ 5.95
43103	Gallon	Yields One Gallon	\$12.95

SURFACE NEUTRALIZING & CLEANING PRODUCTS


HOODSOLV® WASH THINNER

Neutralizes residual finish and remover from wood or metal upon stripping. Use on fine antiques or wherever *water cannot be or should not be used for neutralizing*. Gives the wood a cleaner look. Will also pull certain stains out of the wood grain. **Do not use for thinning of lacquers or other finishes.** **FLAMMABLE MIXTURE.**

90405	Pail	\$39.95
90455	Drum	Call For Pricing



HOODKLEEN™ DEWAXER /SILICONE



Preps an existing finish to accept an overcoat. Dewaxes, cleans and removes silicone and polishes from furniture without effecting or removing the existing finish. Removes silicone, oil, waxes and polishes which typically cause *fish-eyes* and *orange peel*. **Will not attack a lacquer finish, varnish, shellac or a polyurethane.** Simply wipe or brush onto the surface to be cleaned, let dwell for a few minutes then wipe clean with a lint-free-clean rag. May have to be used in conjunction with 3/0, 4/0 steel wool or a fine scrubbing pad then wiped clean with a rag.

10401	Gal	\$15.95
10405	Pail	\$39.95



HOODSOLV® AFTERWASH-103

Premium Wash Thinner providing added benefits, such as reducing "hot spots" and "sweating" during refinishing. Can be used for thinning of lacquers as well. Minimizes sanding. **FLAMMABLE MIXTURE.**

10305	Pail	\$49.95
10355	Drum	\$475.00

PURGE-ALL™ DIRT, STAIN, SILICONE REMOVER

This phosphate free, **Green Technology™** cleaner to clean raw or stripped wood, or for prepping an existing finish for refinishing. Better than TSP. Leaves the furniture squeaky clean. Use a scrubbing brush or coarse pad when cleaning followed by power washing. Removes stain and silicones while neutralizing, thus eliminating "fish-eyes" and "wet spots" upon refinishing. Removes dirt and grime like no others. Mixes with water like TSP. Directions for use are provided on the label.



Better than TSP

42800	Quart	\$7.95
42801	Gallon	\$16.95
42805	Pail	\$69.95

FISH-EYES REMOVER/DEWAXER (NON-HAZARDOUS)

A MUST PRODUCT FOR A FURNITURE REFINISHER

This **Green Technology™** product cleans and dewaxes by emulsification rather than by solvency, thus rids off silicone contamination and waxes often much better. Since silicones from polishes that cause fish-eyes are insoluble in any solvent, they can be removed only through emulsification by using this product in conjunction with a brush, scrubbing pad or steel wool. Can be added to above Wash Thinner, Afterwash-103, Dewaxer/Silicone Wash, Alcohol or a Lacquer Thinner up to 25% to enhance their cleaning performance. *Should fish-eyes appear upon application of finish, let the finish dry overnight, then wet sand with this product at full strength and wipe clean with a rag. No need to neutralize upon sanding. This product is totally non-hazardous - makes for an excellent hand soap and an all*



42900	Quart	\$ 8.95
42901	Gallon	\$19.95
42905	5 Gal Pail	\$89.00

RAGS - FOR CLEANING, STAINING, POLISHING, PADDING

Superb quality rags designed for multi-tasking as given below. For example, the Premium Ganzie rags are lint-free, recycled T-shirts that are silk-screen free. Our biggest seller in rags because these are applicable to general purpose cleaning (before and after stripping), staining, hand polishing of finishes and lacquer padding.




CAT #	TYPE	APPLICATION	WT.	PRICE
97650	Ganzie	Cleaning, Staining	50#	\$65.00
97660	Premium Ganzie*	Cleaning, Staining, Polishing	50#	\$75.00
97950	Colored Cotton Rags	Cleaning, Staining	50#	\$40.95
97750	White Sheeting	Cleaning, Staining	50#	\$69.00
559-25	Tight Weave Cheesecloth	Cleaning Staining, Padding	25#	\$99.00

*White T-Shirt material with no silk screens

DENATURED ALCOHOL

Pure denatured alcohol designed for thinning shellac and our Fish-Eye & Silicone Sealer. Also excellent for wood prep cleaning and moisture removal in finishing and refinishing.

90705	Pail	\$59.95
-------	------	---------



Understanding Wood Toning, Bleaching and Stain Removal

A wood toner, such as Oxalic Acid, brings back darkened wood's patina to its natural color (or close to it) due to age, weathering or pH. It will lighten the wood due to the above, however, will not bleach the wood or, remove aniline dye stains.

To remove aniline dye type stains from a wood surface, **HOODBLEACH™-192** (Stain-Away) is the recommended product for, though there is no guarantee. Often a spot trial is required to be certain. This product will not tone, brighten or bleach the wood, nor remove stains other than aniline dye type. To remove pigmented stains from the wood grain, use our HOODSTRIP®-290 or HOODSTRIP®-295 in conjunction with a scrubbing brush, course steel wool or scrubbing pad.

Finally, to change yellow pine to white pine, red oak to white oak, etc., a two part bleaching system is needed, part A and B (**HOODBLEACH™-190**). The A part opens up the grain upon penetration, while the B part chemically reacts with part A and bleaching occurs through oxidation.

The degree of bleaching is a function of how long part B is allowed to dwell on the surface and react with A. That is, a half hour, four hours, overnight, etc. Often reapplying A on top of B again after about an hour may be necessary or repeating the cycle, i.e., A than part B again. However, mixing A & B together prior to application or at any time, must be avoided. A violent and harmful chemical reaction will occur that is a safety hazard.

HOODBLEACH™ - 190 TWO PART BLEACHING SYSTEM

A highly effective bleaching system for most types of woods. The chemical reaction between the two parts oxidizes and bleaches the wood upon application. Apply part A first followed by Part B per label directions.

FOLLOW LABEL DIRECTIONS CAREFULLY PRIOR TO USE. HIGHLY CORROSIVE LIQUIDS. NEVER MIX A & B TOGETHER!



19000	2-1 Quart Containers (Part A & B)	\$10.95
19001	2-1 Gallon Containers (Part A & B)	\$22.95
19005	2-5 Gallon Pails (Part A & B)	\$89.95

OXALIC ACID

Restores clarity and the natural look of the wood without effecting patina. **Does not bleach the wood, rather restores the natural color.** For best



19899	Quart	\$8.95
19801	Gal Container	\$19.95
19800	55# Bag	\$84.95

WOOD TONER

results, dissolve 3 to 5 oz per gallon of warm water then apply by spray, brush or wipe on. Works very effectively after stripping with HOODSTRIP®-295, HOODSTRIP®-410 or EZ Duz It or other highly alkaline stripper like BENCO B-7.

CAUTION! DO NOT INTERMIX OXALIC ACID WITH ANY OTHER PRODUCT. MIX WITH WATER ONLY! SUPPLIED IN POWDER FORM.

HOODBLEACH™ - 192 STAIN-AWAY



A highly effective aniline dye stain remover from wood. Apply repeatedly until the desired color has been achieved. Use full strength or dilute 1 to 1 with warm to hot water to open the grain. Use in conjunction with medium grade steel wool or scrubbing pad. Also works effectively as final neutralizer after TWO PART BLEACHING. Must be neutralized with tap water prior to finishing or refinishing. **CORROSIVE LIQUID.**

19200	Quart	\$9.95
19201	Gallon	\$18.95
19205	Pail	\$69.95

BLEACHTONE™ (AVOIDS BLEACHING OF WOOD)

This product sprayed on walnut, mahogany or any dark wood, *masks the color of the stain or wood but does not block out the grain*. Simulates two step bleaching without the actual bleaching. Can then be stained over with a light color stain or left as a white base. Can be tinted to a custom color using our U-T-C colorants or Universal Tints. Available in white color only.



Helpful Hint: To make a color change to wood from dark to light without harsh chemicals, that is, from dark wood or stain to a lighter color, use Bleachtone. This provides a cosmetic affect in place of chemical brightening or bleaching. Hence, apply a coat of Bleachtone over a Dark Walnut Stain, allow to dry, then apply a lighter color stain such as Golden Oak, for example.

91701	Bleachtone	Gallon	10#	\$20.95
91705	Bleachtone	Pail	45#	\$99.00
92501	Reducer	Gallon	10#	\$13.95
92505	Reducer	Pail	40#	\$49.00

HOODBOND™ INSTANT ADHESIVES

A revolutionary cyanoacrylate adhesive system for bonding a wide variety of materials at room temperature; wood to wood, wood to plastic, etc. Available in three thicknesses to meet all your gluing needs. Thin viscosity for tight fitting pieces; medium viscosity for pieces that do not fit flush; thick viscosity for pieces with large gaps. Use of Hoodbond™ Activator speeds up bond time and is available in three sizes, 2 oz spray bottles and 8oz and 32 oz refill bottles. In the event of mistakes and clean up, use Hoodbond™ Debonder.



Prod #	DESCRIPTION	SIZE	PRICE
130-0010	Thin Viscosity	2 oz	\$ 6.95
130-0300	Medium Viscosity	2 oz	\$ 6.95
130-1500	Heavy Viscosity	2 oz	\$ 6.95
141-002	Activator	2 oz	\$ 3.95
141-008	Activator (refill)	8 oz	\$ 7.95
141-032	Activator (refill)	32 oz	\$29.95
131-008	Debonder	8 oz.	\$10.95

EZ-FILL™ WOOD REPAIR PUTTY (ODORLESS)

Accepts stain better than any other water-based putty on the market. More important, accepts stain same as surrounding wood. Minimum shrinkage after drying. Use on bare wood to repair cracks, knot holes, nail holes, mitre joints and other small imperfections prior to staining and/or finishing. Suitable under lacquers and virtually all water-based finishes. Ready to sand on small repairs in about 5 minutes. Sands easy, just like wood.



84299	Pint	\$ 3.95
84200	Quart	\$ 6.95

**Accepts Stain
Better Than Any Other
Water-Based Putty**

QUICK TIME™ WOOD REPAIR PUTTY

LACQUER BASED - FAST DRYING

Lacquer based putty, fast drying. Use on bare wood or over a finish to repair cracks, knot holes, nail holes, mitre joints and small imperfections prior to finishing. Ready to sand on small repairs in a couple of minutes. Fine texture - sands just like wood. Accepts stain same as surrounding wood. Minimum shrinkage after drying. Available in white and natural only at this time.



97410-01	White	Quart	\$7.95
97410-02	Natural	Quart	\$7.95
97400	Reducer	Pint	\$4.95

QUIKWOOD® EPOXY WOOD REPAIR PUTTY

QUIKWOOD® is a remarkable polymer compound for instant wood repair. Easy-to-use, QUIKWOOD® molds like clay, then dries like wood in 30 minutes. QUIKWOOD® is also great for wood-to-wood and wood-to-metal bonding. QuikWood® epoxy resembles pale-toned unfinished wood. Fills holes, scratches, gauges, cracks, dry rot and knot holes. **Packaged in a 2 oz tube.**



67040	Natural	\$3.95
-------	---------	--------

"The Woodworker's Dream"

ALL PURPOSE WOOD GLUE

Superior quality carpenter's glue that is **non-flammable, non-combustible and non-toxic**. Resists heat, alcohol, water, lacquers and varnishes. Excellent for cabinets, furniture, and general wood repairs. **Fast grabbing, fast setting, super strong.** Available in White and Yellow. **The yellow is same in performance as Titebond™ brand glue.**



99001	White	Gallon	\$18.75
99005	White	Pail	\$79.95
99101	Yellow	Gallon	\$19.75
99105	Yellow	Pail	\$79.95

WOOD TONE™ POLYESTER FILLER

Polyester formulation designed for the large and/or difficult repairs where lots of material must be used to make the repair. The hardener supplied with the product which must be added to accelerates the cure time and minimizes shrinkage. Can be tinted with Touch-Up powders or U-T-C- colorants. Cured material can be sanded or carved to the desired shape.



Quart	97440	\$12.95
Extra Hardener	97441	\$2.95

WHISPER WOOD™ SYNTHETIC WOOD PUTTY

A high quality wood putty that is easy to apply. When dry, it can be sanded, planed, sawed or even nailed. Slight scratches and nail holes will dry and can be sanded in about 5 minutes. Accepts stain well but not as good as the EZ-FILL Wood Repair Putty above. Non-Hazardous.



CAT#	SIZE	PRICE
77707-XX	Pint	\$8.95

COLOR	COLOR #	COLOR	COLOR #
Red Oak	40	Fir/Maple	48
White Oak	41	White	49
Cherry/Mahogany	46	Natural	50

QUICK DRYING WOOD GRAIN FILLER LACQUER BASED

An incredible time saver! This transparent, nitrocellulose lacquer based filler dries in 10 to 15 minutes. Grain filling can be achieved in about four hours, grain dependant, of course. Top coat thereafter. Excellent product wherever productivity, and cost are a major issue. *This product was used throughout Wynn Las Vegas casino's woodwork, especially the mahogany, with breathtaking results.* Apply by brush or spray as per label directions. **Wait one hour then sand smooth only (with the grain), do not sand off.** Repeat second application*. Available in natural color only at this time. Colors to be available in middle of 2010. Tintable with our Penetrating Stain (solvent based) or our U-T-C Colorants. Can be top coated with most conventional lacquers, vinyl sealers, Magna-Shield®, conversion varnishes, HYDROCOTE® brand water-based finishes and most other water-based finishes including latex paints. Coverage, about 500 sq ft per gallon. **Available now also in water-clear version for light woods or stains.**



*Applying too many coats can affect clarity of the filler. As such, only **two coats** should be applied over mahogany or walnut and three coats over **natural oak or a light stain.**

97431	Straw Color	Gallon	10#	\$28.95
97435	Straw Color	Pail	40#	\$98.95
97501	Water Clear	Gallon	10#	\$29.95
97505	Water Clear	Pail	40#	\$102.95
MS9901	(Retarder)	Gallon	10#	\$16.95

WOOD CONDITIONER

Prevents blotching of stains on soft woods such as pine and fir, and black spots on cherry and maple. Quick drying; stain over in 30 minutes. Non-grain raising. Excellent under any solvent or water based stains susceptible to blotching, including Minwax Stain. Follow label directions prior to use.



47900	Quart	\$ 9.95
47901	Gallon	\$18.95

FAMOWOOD® PUTTY/FILLER

This quick drying, easy sanding putty, resists cracking or shrinkage. Non-toxic. Can be stained over upon drying with a water or solvent-based stain. Please consult label directions prior to use. Available in 6 popular colors **in pint size only.**



\$7.95

Color	
Birch	22106
Golden Oak	22152
Natural	22126
Walnut	22124
White	22144
Cherry/Mahogany	22112
Red Oak	22134

PASTE WOOD GRAIN FILLER CONVENTIONAL (OIL-BASED)



Superior quality conventional oil-based wood filler on the market. Use to fill open pores and impart contrasting color to the grain. A must for high grade rubbed finishes on open grain woods. May be tinted with our U-T-C Tinting Colors, Wiping Stains, or Japan Colors. Optimum drying time is 24 hours prior to finishing. Thin with VM&P Naphtha instead of Mineral Spirits to speed up drying time to 12 hours prior to finishing.

For optimum results, consult label directions prior to use.

97420-01	Natural	Quart	3#	\$13.95
97421-01	Natural	Gallon	12#	\$29.95
97420-02	Mahogany	Quart	3#	\$13.95
97421-02	Mahogany	Gallon	12#	\$29.95
97420-03	Walnut	Quart	3#	\$13.95
97421-03	Walnut	Gallon	12#	\$29.95

PASTE WOOD FILLER APPLICATORS

6 or 8 inch wide plastic applicators designed to reduce sanding time of the **conventional paste wood filler** (shown below at left) upon drying. Provides better packing in the grain (thus minimizes shrinkage with cure) as well as reduces waste. For best results, apply the paste wood filler by brush, **with the grain**, then remove the excess with this applicator working **against the grain holding the applicator at 45° angle**, followed by **with the grain holding at 45° angle** to leave surface filler free and much easier to sand.



31025 (6")	\$1.95
31026 (8")	\$2.95

ABRASIVE PRODUCTS



SANDPAPER

9" x 11" sheets of finest quality for hand and/or machine sanding. Sold in sleeves of 100, except wet/dry which is sold in sleeves of 50 sheets.

PRODUCTION SANDPAPER ALUMINUM OXIDE

FOR SANDING RAW WOOD, OPEN COAT

CAT #	GRIT	SHEET/SLEEVE	GROSS WT.	PRICE
9080AO	80D	50	4.5#	\$16.95
9100AO	100C	100	4.5#	\$26.95
9120AO	120C	100	4.5#	\$26.95
9150AO	150C	100	4.5#	\$26.95
9180AO	180A	100	4.5#	\$26.95
9220AO	220A	100	4.5#	\$26.95

WET OR DRY SANDPAPER

FINAL TOP COAT WET SANDING AND POLISHING

9220WD	220A	50	2#	\$16.95
9320WD	320A	50	2#	\$16.95
9360WD	360A	50	2#	\$16.95
9400WD	400A	50	2#	\$16.95
9500WD	500A	50	2#	\$16.95
9600WD	600A	50	2#	\$16.95

NO FILL/NO LOAD - SANDPAPER - SILICONE CARBIDE

FOR UNDERCOATS/PRIMERS AND BETWEEN COATS

CAT #	GRIT	SHEET PER SLEEVE	GROSS WT.	PRICE
9100SCA	100A	100	4.5#	\$29.95
9120SCA	120A	100	4.5#	\$29.95
9120SCB	120B	100	4.5#	\$29.95
9120SCC	120C	100	4.5#	\$29.95
9150SCA	150A	100	4.5#	\$29.95
9180SCA	180A	100	4.5#	\$29.95
9220SCA	220A (A weight)	100	4.5#	\$29.95
9220SCB	220B (B weight)	100	4.5#	\$29.95
9280SCA	280A	100	4.5#	\$29.95
9320SCA	320A (A weight)	100	4.5#	\$29.95
9320SCB	320B (B weight)	100	4.5#	\$29.95
9400SCA	400A	100	4.5#	\$29.95

STEEL WOOL

The finest quality steel wool on the market. International Brand. Available in sleeves, cases or reels. A case contains 12 sleeves, 16 pads per sleeve.

CAT	# GRADE	PRICE	CAT	# GRADE	SLEEVE PRICE
98301	#1	Case \$29.95	98201	#1	\$3.75
98302	#2	Case \$29.95	98202	#2	\$3.75
98303	#3	Case \$29.95	98203	#3	\$3.75
98310	#1/0	Case \$29.95	98210	#1/0	\$3.75
98320	#2/0	Case \$27.95	98220	#2/0	\$3.75
98330	#3/0	Case \$29.95	98230	#3/0	\$3.75
98340	#4/0	Case \$32.95	98240	#4/0	\$3.75
98401	#1	Reel \$23.95			
98402	#2	Reel \$23.95			
98403	#3	Reel \$23.95			
98410	#1/0	Reel \$26.95			
98420	#2/0	Reel \$27.95			
98430	#3/0	Reel \$27.95			
98440	#4/0	Reel \$29.95			



PSA DISCS

CARAT BRAND AUTOROLL BOX

Zinc stearate coated (gray color) with B-weight backing, increases disc life by as much as 50% over competitive products in loading, tear and edge wear. Available in 5" and 6" discs and packaged in autoroll box of 100 discs. Priced per box. Substitute disc size (5 or 6) for the X in Cat #.



CAT #	GRIT	5" DISC	6" DISC
PSA-X-120	120B	\$26.95	\$29.95
PSA-X-150	150B	\$26.95	\$29.95
PSA-X-180	180B	\$26.95	\$29.95
PSA-X-220	220B	\$26.95	\$29.95
PSA-X-320	320B	\$26.95	\$29.95
PSA-X-400	400B	\$26.95	\$29.95

PSA DISCS

BULLDOG GOLD BRAND RESIN BONDED PAPER

Calcium stearate coated (gold color) with C-weight backing makes these tougher and more tear resistant than the Carat brand. Available in 5" discs ONLY and packaged in autobox of 100 discs for quick, easy dispensing.

CAT #	GRIT	5" DISC
PSAG-5-080	80D	\$26.95
PSAG-5-100	100C	\$26.95
PSAG-5-120	120C	\$26.95
PSAG-5-150	150C	\$26.95
PSAG-5-180	180C	\$26.95
PSAG-5-220	220C	\$26.95
PSAG-5-320	320C	\$26.95



GRIP DISCS

BULLDOG GOLD BRAND RESIN BONDED PAPER

Same as above right with Velcro backing rather than adhesive. Available in 5" discs ONLY, and package in 50 discs per box.



CAT #	GRIT	5" DISC
GRIP-5-080	80D	\$18.95
GRIP-5-100	100C	\$18.95
GRIP-5-120	120C	\$18.95
GRIP-5-150	150C	\$18.95
GRIP-5-180	150C	\$18.95
GRIP-5-220	220C	\$18.95

FLEXABRADE™ SANDER


Compact, light weight, and versatile air operated sander for sanding raised panels, turnings, rungs or any hard-to-reach areas. Speed manually controlled up to 4,000 RPM, weighs only 2 lb. Includes 1/4" NPT swivel that keeps air hose straight and untwisted at all times no matter what position the sander is held. Has a 1/4" collet for replaceable sanding stars. Sanding stars, coated with aluminum oxide abrasive, are 4" in diameter mounted on a 1/4" shank for use with above FlexaBrade Sander™ or 1/4" electric drill. Available in grit sizes from 80 to 320 (see below) and sold separately.

Requires air pressure between 80-90 psi to perform efficiently.

Sanding stars **must be dressed*** first prior to use in accordance with instructions supplied.

CAT #	DESCRIPTION	GRIT	PRICE
51050	FlexaBrade™ Sander	Includes one each of the following stars	\$199.95
51060-XXX	Replacement Sanding Star	XXX=080, 120, 150, 180, 220, or 320 grit	\$9.95


***Dressing requires breaking the stars into sanding strips as depicted above directions in manual supplied.**



Sander With **Dressed** Sanding Star



Sanding Star As Supplied



"MIGHTY SANDER" SANDING BLOCK

High-Impact plastic with cushioned bottom. Powerful spring loaded clamps hold a half-sheet of 9" x 11"

97535

\$ 7.95



HAND SANDING BLOCK

Rubber construction. Excellent for hand sanding of flat surfaces - wet or dry sanding. Available in two sizes; 5" and 9".

97532

5"

1#

\$3.95



TACK CLOTH

The finest synthetic varnish treated tack cloth. Excellent product for removing particles from wood after sanding. A must for every finisher or refinisher. Reusable. 18" X 36" in size.

NOT FOR USE WITH HYDROCOTE® OR OTHER WATER-BASED FINISHES, NOR Magna-Shield® LACQUER OR OTHER PRE-CAT OR POST-CAT LACQUERS.



98036

\$ 0.69

DUST MASKS

Non-toxic, particle masks passes 50% less than comparable masks. Lightweight, comfortable and disposable.




dual support elastic bands

97550 - single support elastic band	50 /box	1#	\$ 7.95
97552 - dual support elastic bands	20 /box	2#	\$14.50

ABRASIVE FOAM SANDING PADS


3-3/4" X 4-3/4" X 1/2" Silicone Carbide abrasive foam pads are made with a tough, flexible bond that delivers a smooth long-lasting cut. These are perfect for sanding sealers where hand sanding is necessary. Won't wrinkle like sheet paper. Sold by case of 50 or individually.



(CASE)	(EACH)	GRIT	PRICE EACH	CASE OF 50
CAT#	CAT #			
77120	78120	120	\$.69	\$29.95
77150	78150	150	\$.69	\$29.95
77180	78180	180	\$.69	\$29.95
77220	78220	220	\$.69	\$29.95

SCRUBBING PADS

These steel wool substitutes are excellent for stripping, rubbing between coats, polishing, cleaning, etc. Available in fine, medium or coarse.



30010F	Fine	(White)	\$6.95
30010M	Medium	(Green)	\$6.95
30010C	Coarse	(Green)	\$8.95

HIGH GLOSS POLISHING PRODUCTS

FANTASTIC

PRESERVE™

POLISH, CLEANER, FINISH REJUVINATOR, SCRATCH REMOVER

This silicone and wax free product is truly a miracle development. It cleans, polishes and rejuvenates an existing finish with little effort; pleasant smelling too! Equally important, it removes minor surface scratches with ease as well.

For cleaning, polishing or rejuvenating an existing finish, apply a liberal coat by spray or on to a clean, lint free cotton cloth then wipe thoroughly to clean the surface. To remove scratches, use a fine rubbing pad. Rub the scratched area gently in the direction of the grain. Repeat as necessary until all the scratches are removed. Buff with a clean cloth to desired sheen.



Removes Minor Scratches, Too

15916	16 oz pump	\$9.95
15900	Quart	\$14.95
15901	Gallon	\$26.95

RACE GLAZE POLISHING COMPOUND

Polishes your finished surface to a high gloss or wet look. First wet sand with 400 to 4000 grit wet/dry sandpaper or Abralon sanding discs and our Rubbing Lubricant to level the finish or remove any imperfections. Wipe with a clean cloth then apply this compound per label directions. Buff with a buffing wheel at 1,500 to 2,000 RPM. **Leaves no swirl marks.**



Polishing Compound
(leaves no swirl marks)



Finish off with the Gloss Highlighter to enhance the gloss or get that wet look, or use it to give the furniture a "just-polished" feel and look.

Gloss Highlighter
(gloss enhancer)

15192	Polishin Compound	Quart	\$16.95
15200	Gloss Highlighter	Pint	\$11.95

FURNITURE POLISH

(SPRAY ON AEROSOL)

Wax and dust off as you polish. Leaves a hard, dust free surface. For light and dark furniture, plastic, leather, ceramic, tile, chrome, stainless steel, porcelain, marble, vinyl, chrome, and enameled surfaces. Contains no ozone depleting chemicals.



B-811	19 oz Aerosol Can	\$5.25
-------	-------------------	---------------

ABRALON

FOAM-BACKED POLISHING ABRASIVE DISC

A mesh fabric coated with closely sized abrasive particles laminated to foam and a brush cloth backing for easy attachment by grip (velcro). The open mesh and foam construction is ideally suited for use with different types of lubricants including water. The lubricant flows around the abrasive grains and is absorbed or released by the foam as needed for wet sanding and heat sink. Available in 6" foam discs, packaged 20 per box or sold individually.

- Prevents cut-through defects
- Prevents swirl marks
- Prevents cross grain scratches
- Easily conforms to curved and contoured surfaces
- Cuts polishing time by 50%
- Saves money in abrasive coats



CAT #	GRIT	PRICE
241-180 (20/Box)	180	\$71.95
242-180 (Each)	180	\$ 3.95
241-360 (20/Box)	360	\$71.95
242-360 (Each)	360	\$ 3.95
241-500 (20/Box)	500	\$71.95
242-500 (Each)	500	\$ 3.95
241-1000 (20/Box)	1000	\$71.95
242-1000 (Each)	1000	\$ 3.95
241-2000 (20/Box)	2000	\$71.95
242-2000 (Each)	2000	\$ 3.95
241-4000 (20/Box)	4000	\$71.95
242-4000 Each	4000	\$ 3.95




WET SANDING LUBRICANT

A low viscosity, paraffin oil based wet sanding vehicle and lubricant that offers an alternative to conventional rubbing oils. Less greasy and oily. Makes for easy clean-up and is adapted to wet sanding or rubbing out with pumice or rottenstone. Excellent for wet sanding of all types of finishes, solvent and water-based, for high gloss polishing and, rubbing out with steel wool or scrubbing pad. Perfect for use with the Abralon Polishing discs. **Not** for wet sanding between coats of a water-based finish.



98500	Quart	3#	\$ 8.95
98501	Gallon	10#	\$21.95



FELT RUBBING BLOCK


Hard, felt block for wet sanding and hand rubbing of finishes. 4" x 2" x 1".

53085	0.5#	\$7.50
-------	------	---------------

RUB-OUT PRODUCTS FOR FINISHES

WOL WAX™ – RUB DOWN PASTE CONCENTRATE

Designed for rubbing down a gloss to a satin or "rubbed effect" satin, as well for removing imperfections in the finish. Concentrated, water soluble, non-toxic, non-hazardous, biodegradable paste that is silicone free. No adhesion problems – may be recoated with most finishes if desired. Excellent for rubbing between coats if high build and depth are needed. For best results use in conjunction with steel wool (3/0 or 4/0) or, a fine scrubbing pad.



91600	Quart	\$10.25
91601	Gallon	\$20.95

SATIN RUB™ (RUB DOWN LIQUID)


Liquid version of WOL-WAX. Ready for use as supplied; does not require thinning. Great for wet sanding between lacquer coats and other solvent-based finishes to rid of fish-eyes and other contaminants. Do not use between coats of water-based finishes unless fully cured.



91630	Quart	\$7.95
91631	Gallon	\$18.95

COUNTRY WOODCRAFT™ PASTE FINISHING WAX

Superb quality wax finish that adds protection and, a hand-rubbed, rich, smooth-feel, satin lustre to a finished surface. Excellent for use over any stain or finish, solvent or water-based. Formulated with imported caruaba wax for added hardness and surface protection. Available in two container sizes and two colors: light color for light, tight grain woods; dark color for open grain, or dark woods. There is no equal wax on the market in terms of beauty, warmth, clarity and protection.



**Like No Other
Wood Finishing
Wax**

67470	Light	Pint Can	\$9.95
67471	Light	6-Pint Can	\$29.95
67480	Dark	Pint Can	\$9.95
67481	Dark	6-Pint Can	\$29.95

ACCESSORY PRODUCTS

TRAINING VIDEO TAPES

For those in need of training in the areas of **Repairing Furniture, Wood Finishing, and Refinishing Furniture**, we now offer these tapes to help you out. These programs combine careful explanation and demonstrations with sharp, revealing camera-work. Countless shop tricks and tips are provided that will increase the productivity in your shop.



CAT#	TITLE	LENGTH	PRICE
37010	Wood Finishing	110 Minutes	\$29.95
37030	Repairing Furniture	70 Minutes	\$29.95
37040	Refinishing Furniture	60 Minutes	\$29.95

RECHARGEABLE AEROSOL SPRAY CANISTER

Handy, non-polluting aerosol canister can be refilled and recharged quickly and easily, over and over. Use any ordinary air source capable of supplying 50 psi of pressure. Simply fill the canister half-full with stain or finish of choice. Hand-tighten the spray assembly and pressurize to 50 psi. Safety auto control prevents over-pressurization. Not recommended for corrosive products or adhesives. Capacity 16 oz. Includes 4 spray nozzles: fine, medium, coarse and jet spray extension. The 4-nozzle set also available separately.



12400	Spray Canister	\$19.95
12401	4-Nozzle Set	\$2.95

BOSTON ROUND BOTTLES

These low density polyethylene bottles are excellent for stirring and dispensing a wide variety of products, such as wood glue, rubbing lubricant, polishing compound, etc. FDA approved. Includes a yorker cap with each bottle.



41120	16 oz. w/cap	\$1.95
41123	32 oz. w/cap	\$2.95
41233	Yorker Cap 28 mm	\$.49



RAZOR BLADES

All purpose, long lasting, single edge razor blades. 100 per box.

32135	\$3.95
-------	---------------

GREEN TECHNOLOGY™ GYMCOAT™



This high-performance floor finish contains the most elite and innovative proprietary resins for the most demanding requirements in the coatings industry. It is highly recommended for residential, commercial and sport flooring that demand green technology, or where sensitivity to chemicals or odors is essential. Makes floor finishing and refinishing safe and easy, and furthermore the finish is easily repairable down the line. Non-yellowing and quick drying. Recommended for interior use only.

Apply by brush, roller, applicator or spray. *For interior use only. This is a self sealing finish.* However, for color enhancement to the wood grain, use a single coat of **EVERLAST™ Sealer** (page 4) under this finish.

Excellent replacement product for tung-oil finish when used in conjunction with the **EVERLAST™ Sealer**.

Available in gloss, satin and dull-satin.

Key Features

- ✓ Green Chemistry
- ✓ Quick Drying and Non-Yellowing
- ✓ Outstanding Clarity and Depth
- ✓ Outstanding Warmth and Grain Definition
- ✓ Superb Durability for Use In High Traffic Areas
- ✓ Excellent Flow and Leveling
- ✓ No Catalyst/Pot Life Problem or Restrictions
- ✓ Recoatable any time - **100% burn-in**

Solids, by wt.: **35%**
 Solids by vol.: **33%**
 Viscosity: **25-30 sec. #4 Ford Cup**
 Coverage: **400 sq. ft. per gallon**
 Recoat time @ 75°F, 45% RH: **2 hours**
 Drying time @ 75°F, 45% RH: **Dust free, 15 min.**
 VOC: **0.5 lbs/gal (60 g/L)**

IMPORTANT: Do not use tack cloth between coats. It can cause improper cure, crazing, lifting or peeling.

SIZE	GLOSS	SATIN	DULL SATIN	WT.	PRICE
GAL	70201	70301	70401	10#	\$ 69.95
5 GAL	70205	70305	70405	46#	\$279.95
55 GAL	70255	70355	70455	475#	\$2,799.50

GREEN TECHNOLOGY™ WOOD STAIN

This quick drying, interior/exterior semi-transparent pigment based wiping stain is non-grain raising (on most woods) and fade resistant. It offers excellent grain penetration and color retention. Can be coated with any type of finish, solvent or water based. Apply by spray, brush or wipe-on. Dries in 15 minutes, coatable in about an hour. Excellent for use on wood flooring and furniture. Its rich colors enhance the natural beauty of the wood grain. Can be intermixed to achieve custom colors. This stain is easy to control because lapping is not a problem.

When used over dye stains, the combination produces a unique, three dimensional, beautifully enhanced grain pattern.

Its Green Technology formula makes it very suitable in a chemically sensitive environment, or wherever use of a green type product is essential.

Please specify CAT #, COLOR# and COLOR when ordering.

Coverage, 200 sq. ft./gal.

70800-	Quart	\$13.95
70801-	Gallon	\$26.95
70805-	5 Gal Pail	\$86.95



COLOR	COLOR #
Golden Oak	01
Brown Mahogany	04
Dark Walnut	05
Extra Dark Walnut	06
Cherry	07
Maple	09
Medium Brown Walnut	10
Ebony	12
Perfect Brown	17
Limed Oak	44
Fumed Oak	49



EVERLAST™ GYMCOAT™



Interior/Exterior Quick Drying

Key Product Benefits

- ✓ Interior/Exterior
- ✓ Pleasant Odor
- ✓ Non-Flammable
- ✓ Superb Durability with Excellent Chemical Resistance
- ✓ No Limit On Number Of Coats Applied
- ✓ Easy Application by Spray Brush, Roller, Paint Pad, or Wipe-On
- ✓ High Build, Usually Requires Only 2 Coats
- ✓ Quick Drying, Reduces Time Between Coats
- ✓ Sanding Between Coats Not Required
- ✓ Blocks UV Rays From Damaging Stain Or Substrate
- ✓ No Plastic Like Appearance
- ✓ Excellent Abrasion Resistance
- ✓ Adheres To Any Finish For Added Durability or Repair, Including UV Coatings
- ✓ Superior Performance and Durability to Tung Oil

This high performance, pleasant odor, quick drying, and non-flammable floor finish fullfills the most demanding requirements in the coatings industry. **EVERLAST™ GYMCOAT** is elastic, waterproof and able to withstand the wear and abrasion of high foot traffic. By far a more effective and durable replacement for tung-oil from the aspect of cure time, mar and abrasion resistance, drying time, and odor.

Provides a rock hard finish in 24 hours; tung-oil on the other hand takes thirty (30) days to cure, and doesn't even approach the hardness and mar resistance of the **EVERLAST™ GYMCOAT**.

It is ecologically friendly in terms of low VOC and pleasant odor. Dries in about two (2) hours (at 75° F and 45% relative humidity), tack free in about 30 minutes, recoat in 6 hours. Its light straw color enhances the color of the wood grain. It absorbs UV rays into itself, thus protects the wood substrate and stain from UV damage. Resists flaking and chipping and is easy to repair at anytime. Builds fast and usually requires only two coats, plus sealer.

The sealer offers deep sealing of the wood grain thus enhanced durability. The sealer is odorless.

EVERLAST™ GYMCOAT is also an excellent product for use on outside decking, and generally a couple of coats of the sealer will do just fine, provided low film build is desired.

Apply by brush, roller, paint pad, spray, or lambswool applicator.



Available in Gloss (94% sheen), Semi-Gloss (70%) and Satin (50%)

Solids, by wt.:	50%
Solids by vol.:	46%
Viscosity:	20-25 sec. #4 Ford Cup
Coverage: Top Coat	500-600 sq. ft. per gallon
Sealer	200-300 sq. ft. per gallon
Recoat time @ 75°F, 45% RH:	3 - 4 hours
Drying time @ 75°F, 45% RH:	Dust free, 30 min.
VOC:	2.29 lbs/gal (275 g/L)

Size	Gloss 92% Sheen	Semi-Gloss 75% Sheen	Satin 50% Sheen	Price	Sealer	Price
1 Gal	44101	44201	44301	\$69.95	40501	\$28.95
5 Gal	44105	44205	44305	\$279.95	40505	\$98.95

EVERLAST™ Drier

ED-004	4 oz	\$3.95
ED-008	8 oz	\$7.95
ED-032	Quart	\$19.95

Recommended addition, 2-4 oz per gallon

SUNDRY ITEMS



DISPOSABLE PAPER STRAINERS

For straining lacquers and all other finishes. It is always recommended to strain finishes due to additives used which have tendency to coagulate and effect the smoothness of the finished coat.

97512	12	\$3.50
97513	50	\$7.95
97514	250 (sleeve)	\$29.95
97515	1000 (case)	\$85.95

REUSABLE STRAINER FOR 5 GAL PAILS

Designed for straining lacquers and all other flow able finishes, this reusable plastic strainer fits into a standard, open head 5 gal pail, plastic or metal. A must for any finisher who sprays directly out of 5 gal pails. Helps to achieve that smooth, debris free finish and may prevent the need to rub out



97511 **\$4.95**

WORTHY SCREENS

These small, barrel-shaped screens slip over the end of the fluid stem inside the cup of a spray gun and act as a final filter to remove any clots or foreign matter from finishes. If they are left in place during the gun's cleaning sequence, they can be reused indefinitely.



46202	Stainless Steel Mesh	\$2.95
46203	Polypropylene Mesh	\$2.50

RE-USABLE PLASTIC QUART GUN CUP WITH LID




Made of strong polyethylene plastic. Durable yet inexpensive. Tight fitting lid permits storage of unused product. The graduated translucent body allows easy mixing and measuring. Fits most HVLP and Compressed air spray guns, domestic and imported.

30104 **\$3.95**

CLAMP-ON PAINT STIRRER

Thoroughly mixes contents of paints, lacquers, other finishes in 5 gallon, open head pails. Designed to reach down to the bottom for super efficient dispersion of solids into the liquid phase. Stainless Steel construction; suitable for water based finishes. A must for any finisher spraying pre-cat lacquers directly out of 5 gal pails.



34551 **\$39.95**

"FLEXI" PAINT CAN SPOUT

A pouring spout, a brush rest, a brush wiper all combined into one. Very economical. Fits pint, quart and gallon size metal and plastic standard paint cans. Eliminates messy paint cans. Keeps rim of can clean. Lid re-seals cleanly and tightly. Easy to clean and it's re-usable. Made of flexible plastic. Not affected by lacquer, paint or solvents. Snaps onto inner rim.



Pouring Spout!

12100 0.10# **\$0.85**

DANDI LINERS

Quart & two quart cup, and pressure pot liners (up to 2.5 gal) designed to make your cleaning jobs easier, saving time and money. Made from high density polyethylene, are safe to use with all finishing materials, solvent or water based. Provides a contaminate free cup or pressure pot for each use. Truly one of the most practical inventions since sliced bread. Reduces cleaning solvents needed by nearly 50% hence, cuts down on hazardous waste disposal by an equal amount. Available in boxes only.



CAT #	DESCRIPTION	QTY PER BOX	PRICE
DL-032	Quart Liners	40	\$7.95
DL-064	2 Quart Liners	40	\$7.95
DL-320	2 1/2 Gallon Liners	20	\$11.95

REUSABLE PRESSURE POT LINERS

Designed to fit 2 1/2 gal pressure pots, these semi-rigid polyethylene liners keep the pressure pot contaminate free, particularly when switching between finishes or stains. Resistant to most solvents, resins and catalysts; a must when spraying pre-cat or post-cat lacquers or conversion varnishes. Available for Binks pressure pots.



97591 Binks 9" Diameter x 9" High **\$2.50**


RE-USABLE STRAINER

Fine mesh, non-paper, polyester (cloth), special strainer designed for straining all types of finishes, but especially water-based. Will not come apart with use as would a paper strainer. Just rinse it out thoroughly with water or a suitable solvent immediately upon use. It is highly recommended to strain water-based finishes prior to application to avoid surface imperfections.




97510 0.1# **\$3.95**

HVLP Versus other Spray Systems




High-Pressure Spraying:



- 65% plus overspray
- Material wastage
- Health risk

HVLP Turbine Spraying:




- ✓ Virtually **no overspray**
- ✓ Substantial savings
- ✓ Healthier work environment



The **Q3 PRO** and **Q4 PRO** are powered by high performance, 3-stage and 4-stage workhorse turbine engines, respectively, and an XT class **non-bleeder** spray gun that is anything but ordinary. Aside from their superior spray performance with all types of finishes, and a **two year warranty**, these HVLP spray systems, through their patented technology (right), are 25-50% less noisy than competitive systems on the market. **Save up to 90%** on material consumption too, over conventional air spray systems.

Whether you're a professional finisher or refinisher, or just a hobbyist woodworker, **FUJI Spray Systems** are perfect for spraying wood, metal, plastic or canvas. Simply the best there is! **Both units are capable of running two guns simultaneously. Second gun and hose are optional.**



Bleeder vs Non-Bleeder Technology

Non-Bleeder Gun has a shut-off mechanism in the handle that is controlled by the trigger. When the trigger is engaged, the first stage of the stroke controls air only, and the second stage controls material. When the trigger is released both the material and the air stop spraying.

Bleeder Gun has air blowing out of the Air Cap at all times, whether the trigger is engaged or not. The only thing that the trigger controls is the stroke on the needle and in turn, the amount of material released from the cup.

Q3 PRO	3-Stage	6 psi	110 CFM	\$749.00
Q4 PRO	4-Stage	8 psi	138 CFM	\$879.00
XT Spray Gun with Cup Gun Assembly				\$269.00

For accessories and replacement parts see next page or manual

FUJI HVLP Spray Systems

FUJI Mini-Mite™ 3

The Mini-Mite 3™ system replaces the Fuji Super Pro model which was a real favorite with cabinet makers and professionals for well almost 2 decades. The Mini-Mite 3™ (MM3) is a professional system that utilizes the same 3-stage turbine engine as in the Q3 Pro model, but without the patented noise-reduction feature available on the Fuji Q3 or Q4 Pro systems. The noise level, however is no more than any other standard HVLP turbine. The MM3 model develops 6 psi pressure and 110 cfm of air flow thus, excellent for spraying all known coatings (when properly thinned) and all the newer water-based finishes. The MM3 system is equipped with the new **XT-2 Spraygun utilizing a 1qt (1000cc) pressure-feed cup rather than a gravity feed cup.**

MM3 \$499.00



Included with every Fuji Mini-Mite™ System

Turbine, Spraygun with Cup Gun Assembly, 25 ft Air Hose with Quick-Connect, User Manual, Viscosity Cup, Wrench, and a Cleaning Brush.

FUJI Mini-Mite™ 4

The MM4 system uses the most powerful 4-stage turbine on the market (same as the Q4 PRO; 8 psi and 138 cfm). This system is recommended for those who want the extra power available. As with the MM3, there is no noise reduction feature, so this should be taken into account if noise level is a factor. The MM4 is equipped with the new **XT-2 Spraygun utilizing a 1qt (1000cc) pressure-feed cup rather than a gravity feed cup.**

MM4 \$679.00



ACCESSORIES

ESP-005	25ft Air Hose	\$69.95
60-4415	Flexible 6ft Whip Hose	\$29.95
9001-4	1.4 mm Atomizing Set	\$69.95
9001-5	1.8 mm Atomizing Set	\$69.95
9001-6	2.2 mm Atomizing Set (for paints)	\$69.95
CG-32	Cup Gun Assembly	\$39.95
CP-34	Cup Gasket	\$2.95
91-049	Pressure Tube with Check Valve	\$2.95

FUJI SPRAY

HVLP - COMPRESSED AIR SPRAY (CAS) SYSTEMS

LYNX-3™ HVLP CONVERSION SPRAY GUNS

Converts your compressed air to HVLP. Simply connect our LYNX™-3 HVLP Guns directly to your shop's air line and you are ready to reap the benefits of a High Volume Low Pressure spray system. Operating at standard air line pressures, the LYNX™-3 HVLP Guns creates less than 10 psi of pressure at the guns while maintaining a minimum of 65% transfer efficiency. No matter what you are spraying, you are sure to save up to 50% in material consumption. The LYNX™-3 guns are the best on the market based on benefit to cost and customer feedback.

It requires only a 3 HP ordinary shop compressor* to do an excellent spray finishing job with most sprayable materials including all HYDROCOTE® finishes. Other conversion guns currently on the market require a minimum of a 5 HP compressor to deliver less than equivalent results.

LYNX™-3 HVLP Guns are as easy to use as the high pressure gun you're using now. No complicated attachments, manifolds or large cumbersome hoses needed. Includes gun and cup gun assembly. Supplied with 1.5 mm atomizing set. The gravity feed includes a 600 ml polyethylene cup with screw on cap.

CAT #	DESCRIPTION	PRICE
LYNX-3	Spray Gun with Cup Gun Assembly - Syphon Type (4#)	\$149.95
LYNX-3 GUN ONLY	Spray Gun Only w/o Cup Gun Assembly (4#)	\$129.95
CG-32-LYNX	Cup Gun Assembly Only-Replacement (2#)	\$ 39.00
91-030	Gun Repair Kit (1#)	\$ 19.95
580-10058	1.5 mm Atomizing Set - Medium Viscosity- All Purpose	\$ 69.00
580-10086	2.2 mm Atomizing Set - Heavy Viscosity (Latex Paints)	\$ 69.00
LYNX-3GF	Spray Gun with Cup Gun Assembly - Gravity Type (4#)	\$ 149.95
580-10058-GF	1.5 mm Atomizing Set - Gravity Feed Gun	\$ 69.00
580-10086-GF	2.2 mm Atomizing Set - Gravity Feed Gun	\$ 69.00
91641	600 ml Gravity Feed Plastic Cup w/Lid	\$ 19.95
91646	600 ml Gravity Feed Aluminum Cup w/Lid	\$ 23.95
91644	1000 ml Gravity Feed Aluminum Cup w/Lid	\$ 29.95



LYNX™-3
Syphon Feed Type

LYNX™-3GF
Gravity Feed Type



*A 1 HP compressor will also power the guns for short spraying sessions, however.

TSG-1000 HVLP SPRAY GUN

High performance HVLP gun for turbine sprayers. Equipped with 1.4 mm atomizing set, this rugged, all metal bleeder gun delivers high quality finishes at 85 to 90% transfer efficiency. Great replacement for your old worn out gun, or as a second gun. Excellent for use with all types of sprayable finishes. Connects to any turbine sprayer having a 3/4" hose coupling. Supplied complete, gun and cup assembly. All metal, no



TSG-1000 \$179.00

CONVENTIONAL DRIP PROOF COMPRESSED AIR SPRAY GUN

Economical, industrial quality, syphon type spray gun, that yields a smooth, clean finish every time. An excellent product for use with all sprayable coating and stains, as well as contact cement. Its standard fluid flow set up sprays HYDROCOTE® Finishes like a champ. Delivers 11 cfm at 50 psi of pressure. Supplied with 1.5 mm atomizing set.



32520 Industrial Cup Gun **\$59.95**

2-1/2 GALLON PRESSURE POT



Superior quality pressure pot designed for high production operation. Includes an air regulator and gauge, fluid hose, and a safety valve. Air hose is optional. Heavy duty galvanized steel construction for greater durability and compatibility with water based finishes. Easily adaptable to Fuji Turbine system, above LYNX-3 Conversion Gun and the conventional gun.

32620 Pressure Pot **\$195.00**
38650 Air Hose **\$49.00**
38825 Material Hose **\$49.00**



TOUCH UP SPRAY GUN W/CUP


Syphon type for pinpoint accuracy in touch up shading, detailing, distressing, etc. Requires 30-50 psi of pressure. Comes complete with 8 oz cup.

32510 **\$39.95**

COMPRESSED AIR SPRAY SYSTEMS & ACCESSORIES

LEATHER CUP GASKETS FOR SPRAY GUNS

These super quality gaskets are designed to fit most spray guns. Sold individually.



CAT#	FITS GUNS	
22300	Binks	\$1.95
22325	DeVilbiss	\$1.95
22329	Sharpe	\$1.95



AR-100

\$16.95

AIR REGULATOR

For controlling air inlet at the spray gun. Provides immediate pressure reading and correction where needed – at the gun or any other pneumatic tool. Gauge air pressure reading between 0 and 160 PSI. 1/4" NPT.

5 PIECE QUICK COUPLER SET

For all air operated equipment. Set contains four 1/4" NPT male thread plugs and one 1/4" NPT female thread coupler.



KC-05

\$6.95

MINI OIL & WATER SEPARATOR

Superior quality mini oil and water separator that attached between air line and spray gun or any pneumatic tool. Low cost and disposable. 1/4" NPT inlet and outlet.



OWS1

\$8.95

DISPOSABLE SPRAY GUN FILTER

Disposable, compact, air filter removes moisture and impurities before it reaches the spray gun or an air tool. Super sensitive filter will effectively remove oil, smoke, condensed moisture and virtually all solid particles.




30323

\$4.75

SWIVEL AIR REGULATOR

No more fighting with air hoses! The connector swivels 360° in two places keeping the air hose straight and untwisted at all times no matter what position the air tool is held.



31827

Swivel Air Regulator

\$10.95

31826

Swivel Only - *Without* Regulator

\$7.95

AIR AND MATERIAL HOSE

Heavy duty air hose. Up to 250 PSI working pressure. Oil resistant. 1/4" NPT fittings. Available in 25 ft. and 50 ft. lengths.

Heavy duty material hose. Excellent for use with pressure pots to spray solvent-based and water-based finishes. Up to 500 PSI working pressure. Available in 25 ft. length only.



38625

Air Hose

25 ft.

\$29.95

38650

Air Hose

50 ft.


\$49.00

38825

Material Hose

25 ft.


\$49.00



FILTER/REGULATOR

A MUST HAVE FOR ANYONE SPRAYING LACQUERS USING A COMPRESSOR.

Integrated filter/regulator unit combines the function and performance of an individual filter and regulator into a space-saving single unit. Extremely efficient for removing oil and water from the line feeding to the spray gun or other pneumatic tools. Prevents fish-eyes and blushing in finishes.



59239

Filter/Reg

\$69.95



BLOW GUN

Safety lever air blow gun with extra nozzle. Hanging hook. Gives excellent air control. 1/4" NPT female thread.

BG-01

\$6.95

MASTER SPRAY GUN CLEANING KIT

Brushes are safe to use with all types of solvents and chemicals. Works great with all types of spray guns - HVLP and conventional compressed air. Kit includes 5 brushes, 5 wooden picks, small jar of lubricant, and a tool for cleaning spray gun caps.



30212

0.50#

\$8.95

3-PIECE SPRAY GUN CLEANING KIT

Contains three, chemical resistant brushes: for external cleaning of gun; for cleaning fluid passage and pick-up tube; for cleaning spray gun body.



30210

\$4.95

AIR DRIVEN FLOW-ON PUMPING SYSTEM

• Self Priming • Explosion Proof • Highly Productive • Reuse Chemicals

Explosion - proof flow-on pumping system that needs no electric motor or electric supply to drive the pump. Self priming, leak proof air driven diaphragm pump requires only 4 CFM at 40 psi to pump 3 gallon per minute of remover. Hence, any shop air compressor, down to 3/4 HP is sufficient to feed air supply to the pump. Air valve adjusts liquid flow from 0 to 10 GPM. Polypropylene housing with teflon interiors allows pump to handle all types of paint, varnish and lacquer remover, liquid or semi-paste. System includes pump, air valve, chemical tubing, 3/8" ID connected to a stripping brush, brass foot valve and strainer - all mounted on a steel base ready to go. To maximize life of pump, install air filter (#30323, below) on air line from compressor.




32076

30#

\$625.00


FLOW-ON SYSTEM REPLACEMENT PARTS



DIAPHRAGM PUMP (PNEUMATIC)

Replacement pump for Air Driven Flow-On System. Polypropylene housing with teflon interiors. Self priming. Single moving mechanical part assures years of service. Consult owners manual for replacement parts.

32079 Diaphragm Pump 10# \$458.00
(Complete)




AIR-FLOW VALVE

Controls liquid flow through air operated diaphragm pumps by regulating air pressure intake into the pump. 1/4" NPT, ball type made of brass.

33083

\$9.95



CHEMICAL TUBING FITTINGS

Hose to pump fitting made from polypropylene. Hose to brush fitting made from brass.

CAT #	DESCRIPTION	NPT	TUBING ID	PRICE
32097	Hose to pump (as pictured)	1/2"	3/8"	\$.95
32090	Hose to brush 90° Angle	3/8"	3/8"	\$1.95



BRASS FOOT VALVE & STRAINER


Prevents paint skins and solids from entering the pump and damaging internal parts. Also acts as a one way check valve keeping the chemical pump always primed. Solid brass construction - 3/4" NPT.

32083

\$6.95

CHEMICAL TUBING

Polypropylene type tubing will withstand most solvents and stripping chemicals. Available in lengths up to 100 continuous feet and four sizes. 1/4 lb per foot.



32085	5/8" ID	\$1.75
32086	1/2" ID	\$1.50
32087	3/8" ID	\$1.35
32088	1/4" ID	\$1.35

AIR FILTER

Disposable, compact, air filter removes moisture and impurities before it reaches the diaphragm pump. Will effectively remove condensed moisture and virtually all solid particles.



30323

\$4.75



STRAINER FOR FLOW OVER SYSTEM

This 8 inch strainer fits over an open head 5 gallon bucket through which finish remover flows and filters as it runs back into the reservoir while recirculating the liquid. Extends the working longevity of the finish remover. The strainer lifts easily off the bucket and the filtered debris is easily removed from the strainer. Fits all types of open head 5 gallon pails plastic or metal.

32089

\$9.95

CALL TOLL FREE 1-800-229-0934

DRUM/PAIL HANDLING EQUIPMENT

DRUM CRADLE

Allows for easy handling and storage of 55 gallon chemical drum.

Constructed of heavy duty steel with 800 lbs capacity. Ideal for dispensing into 5 gallon pails. Easy assembly.



32045 **\$139.95**



DRUM WRENCH

Inexpensive drum bung wrenches for opening standard metal, or plastic 20 to

32020 For metal bungs **\$11.95**
32021 For plastic bungs **\$ 9.95**



PLASTIC PAIL LID OPENER

Heavy-duty handle for opening and removing lids from open-head type plastic pails. Removes snap on lids equally well.

32916 **\$13.95**



DRUM SPICKETS

3/4" and 2" spout (valve) made out of polypropylene. Chemical and corrosive proof. Suitable for use in dispensing all types of strippers, lacquers, thinners, additives, etc.

32047 For 3/4" bungs **\$2.57**
32048 For 2" bungs **\$19.95**




SWING T-MIXER

Possibly the most innovative and time saving mixing tool available today. Designed to mix any viscosity liquid fast, thin or thick, while lifting settled material, such as flattening agent, from bottom of container, lump free.

No need to remove pail covers; no more messy spillage.

This state of the art mixing tool inserts through the pour spout neck of the 5 gallon pail. Upon applying torque, the mixing arms open up outward from centrifugal force when a mixing device or a drill is turned on. Mixes the contents of a 5 gallon pail thoroughly in less than a minute.

Made of zinc-aluminum alloy for strong durability and long life. The body and mixing arms are cast and tumbled to burr smooth for easy clean up. The mixing blade is attached to a 3/8" shaft for easy attachment to a cordless drill. Excellent product for mixing solvent and water based lacquers, varnishes and polyurethanes; alkyd, enamel and latex paints.



34005 **\$29.95**

THE PLUNGE MIXER



PLUNGE MIXER

These mixers are a must for any finisher or refinisher. Efficiently mix your paint, lacquer, colorants, or any heavy viscosity materials unachievable by hand mixing. Excellent for making custom color pigmented lacquers, paints, enamels and for mixing heavy viscosity glues and contact cement. Available in 2 popular sizes that easily connect to your stationary or hand held drill. Made of high grade steel to give lasting durability

CAT#	DESCRIPTION	
34002	Length 13", shaft diameter 5/16" Mixes up to 2 gallons	\$12.95
34003	Length 14", shaft diameter 5/16" Mixes up to 5 gallons	\$16.95

5 GAL PAIL PUMP

No need to lift to dispense a pail and break your back. This handy pump fits all 5 gallon pails for dispensing any low viscosity liquids except methylene chloride based removers.

92079 **\$15.95**



5 GALLON PAIL HEATER

Designed for use in the cold winter months to improve stripping efficiency in flow-on system by heating the 5 gallon stripping reservoir with remover in it and maintaining it warm during the process. It is a fact that non-flammable removers strip most effectively in temperatures between 65° and 85° and F.


32042 110 VOLTS 300 WATT **\$199.00**



DRUM PUMPS

For dispensing lacquer thinner or other solvents from 15 to 55 gal drums. Available in two types, polyethylene or metal (the metal being more rugged). The polyethylene one fits 3/4" and 2" drum bungs and dispenses about 4 oz per stroke; the lever metal one fits only the 2" bung and dispenses about a pint per stroke.

92080 Polyethylene **\$21.95**
92081 Lever-Metal **\$40.95**



92081

92080



PROTECTIVE EQUIPMENT

DISPOSABLE LATEX/NITRILE GLOVES

For staining, toning, glazing or spray finishing. The **nitrile latex** gloves (dark blue in color) are have four times the mil thickness thus are snag, tear and abrasion resistant as well as **more chemical resistant** than latex gloves.

Available in three (3) sizes.
(-XX designates the size)
medium (-02), large (-03)
xtra large (-04) and xxlarge (-05) [if available]

32006-XX Nitrile (Dark Blue) (50/Box)* **\$8.95/Box**
32007-XX Latex (Off White) (100/Box) **\$5.95/Box**
32062-XX Nitrile (Light Blue) (100/Box) **\$7.95/Box**

Available in XXLARGE as well, item # 32006-05 at same price



REUSABLE LATEX GLOVES - MEDIUM DUTY

Excellent medium duty latex gloves for hand stripping, solvent neutralizing, wood bleaching, staining and finishing. *One size fits all. Color is blue or yellow, as available.*

32005 Yellow **\$.75/PAIR**



SILVERSHIELD/4H

Lightweight, flexible laminate material that resists permeation and breakthrough by an array of toxic/hazardous chemicals. Use alone or as a glove liner! In fact OSHA mandates that these long lasting gloves must be worn when stripping with Methylene Chloride based finish removers or under rubber gloves when using same to block from skin absorption. Rubber or latex gloves alone are not approved by OSHA for use with Methylene Chloride. 4 mil thick. Ambidextrous, fits either hand. Distinctive silver color for easy identification.



32016 **\$6.95/PAIR**

DISPOSABLE ORGANIC VAPOR RESPIRATOR

Protects against low levels of organic vapors. However, this type of respirator is no longer approved by OSHA for use with Methylene Chloride vapors. Only a Positive Pressure Respirator System can be used for Methylene Chloride vapors at levels below 625 ppm.

This disposable respirator protects against other organic vapors such as solvents found in lacquers and thinners. Light weight for comfort, has low profile for clear vision. Disposable when canister is spent. A *snap-on disposable spray pre-filter* is also available to protect against overspray from lacquers



32050 Vapor Respirator **\$19.95**
32051 Retainer Ring (pair) **\$ 3.25**
32052 Spray Pre-Filter (pair) **\$ 3.25**



STRIPPING GLOVES - INDUSTRIAL STRENGTH

Heavy duty rubber gloves resist acids, alkali, and stripping solvents. Gloves are 18" long and available in three sizes (except 32002) **9, 10, and 11**, (-01, -02 and -03) respectively. OSHA requires the wearing of **SILVERSHIELD** glove liners under these gloves when using Methylene Chloride based removers.



32000-XX Heavy Duty Stripping **\$9.95**
32001-XX Light Duty Stripping **\$6.95**
32002 24" Long (available in size 10 only) **\$14.95**

RUBBER APRON

Extra heavy duty HYCAR rubber apron gives maximum protection from stripping chemicals and solvents. Adjusting neck band gives length flexibility. Available in two lengths.



32025 24" X 36" **\$9.95**
32026 36" X 46" **\$14.95**

DENIM APRON

Tough denim apron with pockets, protects clothing from dust, glue, finishes, etc. A must for any woodworker.



32027 **\$6.95**

EYE PROTECTION

Safety goggles and safety glasses protect eyes from chemical splash and fine dust. Distortion free lenses are made of high impact clear plastic. **WILL NOT RESIST METHYLENE CHLORIDE.**



32012 Plastic Goggles **\$2.95**
32013 Plastic Glasses **\$1.95**

FACE SHIELD

Light-weight shield for face & neck protection. Adjustable to head size with flip-up feature. The polycarbonate plastic visor is disposable and replaceable. Visor is 12" wide.



32010 Face Shield **\$9.95**
32011 Replacement Visor **\$4.95**

ARM PROTECTORS

Snug fit plastic protectors cover arms from chemical splash. Sold as pair.

32015 **\$5.95/PAIR**



COTTON GLOVES

100% cotton gloves keep hands warm and clean. Economical. Not fur use under stripping gloves as liners. One size fits all.

32004 **\$.99**



TOUCH-UP PRODUCTS

PREMIER EDGE MARKERS ASSORTMENT

Hard wax sticks for covering unprotected and hard to finish edges on desks, doors, kitchen cabinets, etc. They impart color to sanded through edges. Just rub in against an edge, remove or sand off the excess, then top coat as desired. Accepts most finishes. Nineteen (19) popular colors.



EM-400 Assortment (19) **\$49.78**

Sandstone	Extra Dark Oak
Wheat	Medium Dark Walnut
Honey Maple	Black
Fruitwood	Pure White
Maple	Light Almond
Universal Cherry	Pearl White
Light Walnut	Medium Frost
Medium Walnut	Charisma
Brown Cherry	Red Dark Mahogany
Traditional Mahogany	

PREMIER FILL STICKS ASSORTMENT

Easy to use, semi-hard wax sticks, designed to repair minor scratches, nicks and other imperfections. Just rub in and wipe off then top coat as desired. Accepts most finishes. Fifty (50) popular colors.

FSA-100 Assortment **\$69.00**

Transparent	Medium Pecan
Natural	Vintage Oak
Natural Light Oak	Brown Cherry
Sandstone	Light Red Mahogany
Wheat	Fireside Oak
Honey Maple	Traditional Mahogany
Natural Red Oak	Cordovan Mahogany
Light Pine	Brown Red Mahogany
Light Oak	Dark Oak
Red Oak	Extra Dark Oak
Colonial Maple	Medium Dark Walnut
Fruitwood	Dark Walnut
Heritage Oak	Dark Pecan
Maple	Tavern Pine
Universal Cherry	Extra Dark Walnut
Light Walnut	Black
Medium Cherry	Pure White
Venetian Cherry	Off White
Universal Walnut	Light Almond
Medium Walnut	Cream
Oak	Pearl White



NON-LIFT BURN-IN STICKS ASSORTMENT

Will not raise or lift under normal top coat applications and may be used under most nitrocellulose lacquers. Can be used on raw wood, over a sealer, between top coats or as a final patch. Available in kits only - each kit contains 6 professionally selected colors as given below.

\$16.50 each

NLBS-301 Light Assortment

Amber, Amber Dark, Black, Clear, Umber Burnt, White

NLBS-302 Walnut Assortment

Fruitwood, Maple, Walnut Light Brown, Walnut Extra Dark, Walnut Medium Brown, Walnut Dark/American

NLBS-303 Cherry/Mahogany Assortment

Cherry, Cherry Dark, Mahogany Dark, Mahogany Medium, Mahogany Red, Oak Golden



PREMIER TOUCH-UP MARKERS


These premier grade touch-up markers were formulated and are manufactured by an ex Star Finishing Products chemist. Precision engineered to ensure accuracy for proper detail work. Specially formulated for the professional repair of finishes. These need not be lacquered over. Will dry in about 5 minutes and will not rub off under normal use. **\$35.95 each**

TUM-P-200 Light/Shade Assortment

Red Oak, Heritage Oak, Light Walnut, Dark Walnut, Vintage Oak, Brown Cherry, Dk Oak, Extra Dk Oak, Natural, Lt Pine, Light Oak

TUM-P-203 Finisher's Choice

Black, Universal Cherry, Fruitwood, Brown Red Mahogany, Oak, Universal Walnut, Medium Pecan, Medium Walnut, White, Colonial Maple, Traditional Mahogany, Light Red Mahogany



SABLE BRUSHES

Superior quality, long lasting brush made of fine pure red sable. Natural tips hand cupped to full bodied shape. Needle-sharp point. Rustproof aluminum seamless ferrules firmly attached to polished hardwood handles. Sold as an assortment of 10, or individually.

CAT#	SIZE	HAIR LENGTH	PRICE EACH
32500-30	#3/0	2/8"	\$ 2.50
32500-00	#0	5/16"	\$ 2.95
32500-01	#1	3/8"	\$ 3.05
32500-02	#2	7/16"	\$ 3.15
32500-03	#3	1/2"	\$ 3.30
32500-04	#4	9/16"	\$ 3.50
32500-05	#5	5/8"	\$ 4.05
32500-06	#6	11/16"	\$ 5.05
32500-07	#7	13/16"	\$ 6.10
32500-08	#8	7/8"	\$ 7.75
32500	10 Brush Asst (1 each size)		\$41.25



TWO MINUTE TOUCH-UP

Fast drying, lacquer based designed for use with the below touch up powders to touch-up small areas. Will not rub off. May be lacquered over immediately if desired. Further details on use and application are given on the label.

99690 Quart 3# **\$13.95**

TWO MINUTE TOUCH-UP SOLVENT

Formulated for reducing the above Two Minute Touch-Up as well as an excellent cleaner for touch-up brushes.

99790 Quart 3# **\$9.95**



FURNITURE TOUCH-UP POWDERS

Super refined dry pigments for coloring, shading, tinting, touch-up work. Can be used to mix with paint, enamel, grain fillers, shellac, lacquer or any standard type liquids requiring color. Mixes in readily with the above mediums to produce smooth finishes. Available in 1 oz. containers. **\$4.95 each.**

TUP-008	Black	TUP-892	Maple
TUP-818	Burnt Umber	TUP-853	Medium Brown Walnut
TUP-006	Cherry	TUP-808	Medium Light Walnut
TUP-004	Extra Dk Walnut	TUP-353	Raw Sienna
TUP-815	Golden Oak	TUP-817	Raw Umber
TUP-003	Light Walnut	TUP-878	Van Dyke Brown
TUP-001	Mahogany	TUP-007	White



AIR BRUSH TOUCH-UP KIT

Excellent for discriminating touch-up and shading work out of the shop. Portable and convenient.

75507 Air Brush w/Propellant **\$19.95**



TOUCH-UP PRODUCTS

PREMIER AEROSOL TOUCH UP SPRAYS \$4.95 EACH

These premier grade aerosol touch-up sprays were formulated and are manufactured by an ex Star Finishing Products chemist. These out perform and outlast Mohawk and Behlen aerosols and, are nearly 15% less expensive. Offered in clears only at this time.

CAT#	COLOR
P-539	Blush Retarder/Leveler
P-540	Clear Gloss Lacquer
P-541	Clear Semi-Gloss Lacquer
P-542	Clear Flat Lacquer
P-543	Clear Dead Flat Lacquer
P-544	Clear Satin Lacquer
P-545	Clear Heavy Bodied Sealer



LUBRICITE #77 FRENCH PAD

Excellent for french padding and hand padding of tops and edges including leather tops. Pads out press marks, scratches, and will build up a finish wherever it is dry as needed.



99400	Quart	\$ 12.95
99401	Gallon	\$ 24.95

FRENCH PADDING LACQUER

The best padding lacquer on the market. **Dries instantly. May be recoated with lacquer immediately.** Dries harder than most french padding lacquers on the market. Excellent for french padding and hand padding of tops and edges including leather tops. Can be blended with stain powders to achieve custom colors or shading.



99300	Quart	\$12.95
-------	-------	---------

AEROSOLS - MASTER TONER \$5.25 EACH

CAT#	COLOR
B-529	Mahogany
B-513	Natural
B-515	Oak Golden
B-510	Pine Tavern
B-518	Walnut
B-509	Walnut Dark
B-528	Walnut Dark Red
B-512	Walnut Van Dyke



These spray lacquers are formulated with the highest grade lacquers and solvents along with a unique flow-out system. Provide smooth even coating with *no overspray and no need to rub.* 13 fluid oz. per can.

AEROSOLS - JET SPRAY LACQUERS

CAT#	COLOR
B-0824	Birch
B-F826	Black Flat
B-G826	Black Gloss
B-S826	Black Satin
B-0878	Brown Van Dyke
B-0858	Cherry
B-L854	Fruitwood Light
B-0832	Mahogany Brown
B-0831	Mahogany Dark
B-0820	Mahogany Light
B-0829	Mahogany Med
B-0873	Mahogany Red
B-0892	Maple
B-0813	Natural
B-0815	Oak Golden
B-0822	Oak Medium
B-0818	Umber Burnt
B-0817	Umber Raw
B-0809	Walnut Dk American
B-0850	Walnut Extra Dark
B-0853	Walnut Med Brown
B-G804	White Gloss

\$5.25 EACH



CAT#	TYPE
B-802	Clear Flat
B-0883	Clear Dead Flat
B-871	Blush Eliminator
B-803	Sanding Sealer
B-800	Clear Gloss
B-801	Clear Satin

SCRATCH FIX

These felt tip, marker type scratch removers do the job right, the first time in repairing minor scratches to a finish. Available in 5 popular colors.



\$2.95

SF 1201	Light Brown
SF 1202	Dark Brown
SF 1203	Black Brown
SF 1204	Red Brown
SF 1205	Med Brown



DISTRESSING PENCILS

Use this product to simulate grain, "worm holes", fly specs, etc. Upon use, should be top coated with lacquer or a water based finish to insure wearability.

91607-01	Black Pencil	\$2.50
91607-02	Brown Pencil	\$2.50

GRAINING PEN

Extra fine point combined with permanent, non-fading colors, allow the user to make graining line and repairs with professional results.



91606-01	Black	\$3.95
91606-02	Dk Brown	\$3.95
91606-03	Med Brown	\$3.95
91606-05	Lt Oak	\$3.95

REDI-LAC™ SHADING LACQUER

Superior quality, Ready-To-Spray lacquers designed to highlight the wood or stain and add a special shaded effect. These are totally transparent and although designed for shading of top coats, can also be used to apply a stain and lacquer in a single step. Colors can be intermixed to achieve custom colors.

Available in gallons only. \$20.95 per gallon

91693-01	Dark Mahogany
91693-05	Walnut



MISCELLANEOUS CLEAR AEROSOLS \$5.25

CAT#	COLOR
B-015	Heavy Bodied Sealer
B-012	Clear Top Coat - Gloss
B-014	Clear Top Coat - Satin
B-020	Pre-Catalyzed Clear Gloss
B-021	Pre-Catalyzed Clear Satin
B-023	Pre-Catalyzed Clear Sealer
B-016	Water Clear Acrylic Gloss
B-017	Water Clear Acrylic Satin
B-811	Furniture Polish
B-0500	Lacquer For Brass (New)
B-030	Buffcote Lacquer (New) \$8.95

(Dries to hand rubbed look and touch)



ELECTRIC BURN-IN KNIFE

The ultimate in electrical burn-in knives. Portable and light weight. Heats up quickly. 115VAC. Flat blade type.

Burn-In-Knife	32320	\$29.95
---------------	-------	---------

STRIPPING & FINISHING BRUSHES

STRIPPING BRUSHES

These brushes are highly durable and chemical resistant. Can be used effectively with any of our stripping products. The handle and bristle are constructed of polypropylene for long useful life.

32030	5" X 20" all purpose stripping brush (long handle)	\$8.95
32031	5" X 9" all purpose stripping brush	\$6.95
32032	same as 32031 but with hose adaptor (3/8" hose ID) for flow-on application	\$9.95



STRIPPING BRUSH - STIFF BRISTLE

32034	same as 32031 but with stiff bristle (hot tank application)	\$4.95
-------	---	---------------



SCRUBBING BRUSH

32033	2-1/2" x 6" grab-on block handle	\$2.95
-------	----------------------------------	---------------

COMBINATION BRUSH



32039	Combination brush: 1-1/2" X 7" polypropylene brush with 1/2" brass bristles on one end.	\$2.95
-------	---	---------------

SCOURING BRUSHES

Brass bristled brushes for




32037	same as 32035 but with polypropylene handle	\$4.50
-------	---	---------------

WIRE BRUSHES - HARDWOOD HANDLES

Stainless steel bristled brushes for removing paint out of wood grain.

32040	Long Handle	\$5.25
32041	Toothbrush size	\$1.10



ALL PURPOSE ECONOMY BRUSHES

These inexpensive but practical brushes have hundreds of uses: brush finishing, staining, touch-up, hand stripping, gluing, etc. Choose from six (6) convenient sizes, all with wood handles.

98005	1/2"	\$.49
98010	1"	\$.59
98015	1 1/2"	\$.75
98020	2"	\$.89
98025	2 1/2"	\$1.05
98030	3"	\$1.25
98040	4"	\$1.59



PURE CHINA BRISTLE BRUSHES

The finest natural china bristle brush. Designed for smooth and consistent application. Recommended for applying solvent based varnishes and polyurethanes.

33515	1 1/2"	\$3.95
33520	2"	\$4.95
33525	2 1/2"	\$5.95
33530	3"	\$6.95



NYLON BRISTLE BRUSHES

Deluxe grade nylon bristle brush designed for smooth and consistent applications of HYDROCOTE® Finishes and other water-based finishes.

33620	2"	\$1.95
33520	2 1/2"	\$2.95
33630	3"	\$3.95

FOAM BRUSHES

Dense foam provides smooth and even applications. Never leave brush marks or stray bristles. Disposable. Highly recommended for brushing HYDROCOTE® finishes and stains, other water based finishes or solvent based polyurethanes. Not recommended for nitrocellulose lacquers or shellac.

33810	1"	\$.39
33820	2"	\$.49
33830	3"	\$.69
33840	4"	\$.79



ORDERING INFORMATION



To place an order, call our toll free number **1-800-229-0934**. You can fax in your order to **732-828-7325** or purchase on the internet via secured shopping cart.

When placing an order over the phone, please ask for the Order Department (indicate if you are a new customer). Give us your account number which is your telephone number without the area code. **PLEASE DO NOT INCLUDE THE AREA CODE unless you are a new customer. If placing an order for the first time, make sure to indicate all special delivery information.**

When placing an order, please have catalog numbers available. To avoid confusion, please do not specify "five of Lacquer Thinner" since the order department may interpret that as 5-5 gallon pails of Lacquer Thinner resulting in erroneous shipment. Kindly follow this ordering procedure: 1. Quantity 2. Item # 3. Description. **Make sure to confirm pricing at time of order.**

1 (one) MS9205 Magna-Shield Clear Satin

All shipments are FOB New Brunswick, NJ or the closest shipping warehouse.

VISA, MASTERCARD, DISCOVER, or C.O.D. If Shipment is via common carrier, payment in advance avoids COD fee charged by the trucker. University, school, government, and corporate purchase orders welcome (with prior credit approval).

On initial COD orders above \$100.00, payment must be received in the form of certified check, bank check, or money order.

A \$30.00 service charge will be added to all **BOUNCED CHECKS. NO EXCEPTIONS.** Future payments will have to be COD, certified check, money order or cash.

There is a **MINIMUM ORDER of \$25.00.** For orders totalling less than \$25.00, a \$2.00 handling fee will be added.

ALL RETURNS are subject to a 20% handling and restocking charge except for a defective product or shipment error. A 25% charge is subject for all equipment returned. **No returns accepted without prior approval and an RGA# from Customer Service. No returns accepted 30 days after purchase date, regardless of reason. RGA# must be placed on all returned goods - on the outside of the returned box(es).**

ALL DAMAGED SHIPMENTS are to be claimed with the carrier including concealed damaged shipments packaged in boxes. **DO NOT ACCEPT OR USE DAMAGED SHIPMENTS** without prior approval from the carrier.

Sales Tax: Sales Tax will be charged to all New Jersey customers as required by law unless a valid and signed tax exempt form is on file. This form exempts sales tax on Finishing Products and Protective Equipment only, unless your located in an Urban Zone. All other products that do not remain as a component part of the finished product (except protective equipment), e.g. finish removers, sandpaper, steel wool, rags, etc., are subject to sales tax unless resold to others. A valid and signed resale certificate must exist on file.

All prices are subject to change without notice

Due to volatility of raw material costs which are beyond our control, prices may vary from the time of printing of this catalog which is generally six months in advance of you receiving it.

**Please confirm prices
when placing your order.**

**Thank You
We Appreciate Your Business.**

Abrasive Products	18, 19	Fill Sticks Assortment	32	Nylon Brushes	34	Tinting Colorants	8-10
Acetone	6	Finish Indicator	12	Oxalic Acid	15	Touch-Up Markers	32
Aerosol Products		Filter Regulator	28	Padding Lacquer	33	Touch-Up Powders	32
Blush Eliminator	33	Finish Removers	11-13	Pail Heater	30	Touch-Up Spray Gun	27
Lacquers	33	Finishing Wax	21	Pail Lid Opener	30	Two Minute Touch-Up	32
Shellac	5	Fish-Eye Eliminator	6, 7	Pail Pump	30	U-T-C- Tinting Colors	8
Toners	33	Fish-Eyes Remover/Dewaxer	14	Paper Strainers	24	VM & P Naphtha	6
Afterwashes	14	Fish-Eye and Silicone Sealer	5	Paste Finishing Wax	21	Vapor Respirator	31
Air & Material Hoses	27	Flattening Agents	6, 7	Paste Wood Grain Filler	17	Video Training Tapes	22
Air & Material Hose Couplers	28	FlexaBrade™ Sander	19	Paste Wood Filler Applicator	17	Vinyl Sealers	5
Air Brush Touch Up Kit	32	Flexi Paint Can Spout	24	Penetrating Stains	9, 10	Wash Thinner	14
Air Flow Valve	29	Floor Finishes	22-23	Pigment Syringe	8	Water-Based Finishes	3, 7
Air Regulator	28	Flow-On Stripping System		Plunge Mixer	30	Wax, Finishing	21
Amber Additive	10	Chemical Tubing	29	Polishing Compounds	20	Wet Sanding Lubricant	20-21
Aprons, Rubber, Denim	31	Replacement Parts & Pump	29	Polyurethanes	4, 7	Wet Spots Eliminator	4
Arm Protectors	31	Flow Out Solvent/Additive	6	Preserve Polish & Cleaner	20	Whisper Wood Putty	16
Asphaltum	9	Foam Brushes	34	Pressure Pot	27	White Picking Stain	10
Barrier Coat Sealer	5	Foot Valve & Strainer	29	Pressure Pot Liner, Reusable	24	Wiping Wood Stains	8
Bleaching Compounds-Wood	15	French Padding Lacquers	33	PSA Sanding Discs	18	Wiping Stain Reducer	8
Bleachtone, Bleachtone Reducer	15	Fuji HVLP Spray Systems	25-26	Protective Equipment	31	Wire Brushes	34
Blow Gun	28	Furniture Polish (Aerosol)	20	Purge-All	14	WOL WAX Rub Down Paste	21
Blush Eliminator Solvent	6	Furniture Touch-Up Powders	32	Quick Coupler Set	28	Wood Conditioner	17
Boston Round Bottles	21	Gloves, Stripping	31	Quick Drying Grain Filler	17	Wood Fillers	17
Brass Foot Valve & Strainer	29	Gloves, Latex, Nitrile & Rubber	31	Quick Drying Varnish	4	Wood Glue, Yellow & White	16
Brush and Gun Cleaners	6, 10	Goggles, Safety	31	Quik Time Wood Repair Putty	16	Wood Tone Polyester Filler	16
Brushes, Bristle, Nylon, Foam	34	Graining Pens	33	Quick Wood Epoxy Putty	16	Worthy Screens	23
Brushes, Sable	32	"Green" Technology Products	22-23	Race Glaze Polishing Compound	20	Wood Pre-Seal	10
Burn-in -Knife (Electric)	33	Grip Discs	18	Race Glaze Highlighter	20	Yankee Paint Stripper	13
Burn-in-Sticks (Non-Lift)	32	Hoodbleach Products	15	Rags	14		
Chemical Pumps	29	HoodBond Instant Adhesive	16	Razor Blades	21		
Chemical Tubing & Fittings	29	HoodKleen Dewaxer	14	Redi-Lac Shading Lacquer	33		
Clear Wood Sealer	3	HOODSTRIP Finish Removers	11-13	Removers & Strippers	11-13		
Clamp on Paint Stirrer	24	Hoses, Air & Material	28	<i>Liquid, No-Wash, Non-Flammable</i>			
Color Computer Wheels	8	Hot Tank Stripper	13	<i>Powder, Semi-Paste</i>			
Colorants, Tinting	8-10	HVLP Spray Guns & Systems	25, 26	Resisthane Plus Lacquer	3		
Compressed Air Spray Systems	27	HYDROCOTE® Products	6, 7	Reusable Qrt Gun Cup	24		
Cotton Gloves	31	Instant Adhesive	16	Rubbing Block	20		
Cutting Force Finish Remover	13	Japan Colors	8	Rubber Apron	31		
Cup Gaskets	28	Lacquers		Rubbing Compounds	20		
Dandi Liners	24	Barrier Coat	5	Sable Brushes	32		
Denatured Alcohol	14	Pigmented	3, 7	Sanding Pads & Block	19		
Denim Apron	31	Pre-Catalyzed	2, 3	Sandpaper	18		
Dewaxer/Silicone Wash	14	Low VOC	5	Satin Rub	21		
Diaphragm Pump	29	No-Lift	5	Scratch Fix	33		
Diaphragm Pump Parts	29	Primer	2, 3, 5	Scrubbing Pads	19		
Dip Tank Rejuvenator	12	Vinyl Sealers	5	SealCoat	5		
Disposable Plastic Qrt. Cup	24	Water-Based	3, 7	Shellac, White & Orange	5		
Distressing Pencils	33	Latex Gloves (Disposable/Reusable)	31	Silicone Sealer	5		
Drum Handling Equipment		Leather Cup Gaskets	28	Spray Guns	25-27		
Drum Cradle	30	Liquid Stain Concentrate	9	Spray Gun Cleaning Kits	27		
Drum Spickets	30	Low VOC Lacquers	5	Spray Gun Filter (Disposable)	27		
Drum Wrenches	30	Lubricite 77 French Pad	33	Spray Systems	25-27		
Drum Pumps	30	LYNX-3 HVLP Conversion Guns	27	Steel Wool	18		
Dust Masks	19	Magna-Shield Pre-Cat Lacquer	2	Step-Up Polishing Compound	20		
Edge Markers	32	Magna-Shield Retarder	6	Strainer For Flow Over System	29		
EVERLAST, Varnish/Polyurethane	4	MEK	6	Stripping Brushes	34		
Eye Protection Equipment	31	Mineral Spirits, Reg & Odorless	6	Sure Strip Finish Remover	13		
EZ-Fill Wood Repair Putty	16	Mighty Sander Sanding Block	19	Swivel Air Regulator	28		
Face Shield	31	Naphtha, VM & P	6	Swing T-Mixer	30		
Famowood Paste Wood Filler	17	No Blush Solvent	6	Tack Cloth	19		
Felt Rubbing Block	20	No Lift Lacquer	54	Thinners	5		